

# Shoreham Beach Primary School



## Calculations Policy

Revised: October 2022

Next revision: October 2024

## **Contents:**

- Introduction
- Progression in the teaching of the 4 operations from YR to Y6
- Questioning

## **Introduction**

Children are introduced to the processes of calculation through practical apparatus, oral and mental activities. As children begin to understand the underlying ideas, they develop ways of recording to support their thinking and calculation methods, use particular methods that apply to special cases, and learn to interpret and use the signs and symbols involved. From the early stages, children learn how to use models and images, such as empty number lines, to support their mental and informal written methods of calculation.

There is a considerable emphasis on teaching mental calculation strategies. Informal written recording takes place regularly and is an important part of learning and understanding. More formal written methods follow only when the child is able to use a wide range of mental calculation strategies. As children's mental methods are strengthened and refined, so too are their informal written methods. These methods include bar models, part-part-whole diagrams and pictures. Some recording takes the form of jottings, which are used to support children's thinking. This may be done on scrap paper, jotter books and whiteboards and is not always retained as it is for the children's own personal use.

This policy contains the key pencil and paper procedures that will be taught within our school. It has been written to ensure consistency and progression throughout the school and reflects a whole school agreement.

This policy concentrates on the introduction of standard symbols, the use of the empty numberline as a jotting to aid mental calculation and the introduction of pencil and paper procedures. It is important that children do not abandon jottings and mental methods once pencil and paper procedures are introduced. Therefore children will always be encouraged to look at a calculation/problem and then decide which is the best method to choose – apparatus, pictures, mental calculation with or without jottings, structured recording or a calculator. Our long-term aim is for children to be able to select an efficient method of their choice (whether this be mental, written or in upper Key Stage 2 using a calculator) that is appropriate for a given task. They will do this by always asking themselves:

- 'Can I do this in my head?'
- 'Do I need some apparatus?'
- 'Can I do this in my head using drawings or jottings?'

- 'Do I need to use a pencil and paper procedure?'
- 'Do I need a calculator?'

Although the focus of the policy is on pencil and paper procedures it is important to recognise that the ability to calculate mentally lies at the heart of Primary mathematics. Mental methods will be taught systematically from Reception onwards and pupils will be given regular opportunities to develop the necessary skills. However mental calculation is not to the exclusion of written recording and should be seen as complementary to and not as separate from it. In every written method there is an element of mental processing. Sharing written methods with the teacher encourages children to think about the mental strategies that underpin them and to develop new ideas. Therefore written recording both helps children to clarify their thinking and supports and extends the development of more fluent and sophisticated mental strategies.

The overall aim is that when children leave primary school they:

- have a secure knowledge of number facts and a good understanding of the four operations;
- they are able to reason with numbers and problem solve, explaining their understanding and methods
- are able to use this knowledge and understanding to carry out calculations mentally and to apply general strategies when using one-digit and two-digit numbers and particular strategies to special cases involving bigger numbers;
- make use of diagrams and informal notes to help record steps and part answers when using mental methods that generate more information than can be kept in their heads;
- have an efficient, reliable, compact written method of calculation for each operation that they can apply with confidence when undertaking calculations that they cannot carry out mentally;
- use a calculator effectively, using their mental skills to monitor the process, check the steps involved and decide if the numbers displayed make sense.

Although not mentioned in the following grids, opportunities will be given for the children to use and apply new methods of calculating they have learnt. Reasoning and problem solving will be used from Y1 onwards, up to Y6 where the problems will be multi-step.

### **Calculation Policy**

The following pages show the progression in calculation (addition, subtraction, multiplication and division) and how this works in line with the National Curriculum. The consistent use of the CPA (concrete, pictorial, abstract) approach helps children develop mastery across all the operations in an efficient and reliable way. This policy shows how these methods develop children's confidence in their understanding of both written and mental methods.

RECEPTION

Addition	Subtraction	Multiplication	Division
<p>Number rhymes &amp; songs.                      Conservation of number.                      Understanding the number and what each digit represents.                      1 to 1 correspondence.                      1 more.                      How many altogether? Physical counting objects                      Adding 2 small groups (1 digit numbers)                      Introduce '+' sign.                      Simple word problems. doubling, halving and sharing</p> <p>Summer Term – number line 0 to 10 to count on.                      Chant counting in 10s up to 100, 2s to 10.                      Awareness of 100 square.</p>	<p>Number rhymes / songs                      Looking at 1 less                      Counting backwards                      Introduce 'take away' vocabulary.                      Practice 'take-away' with tangible apparatus.</p>	<p>Repeated addition                      Chanting in 2s, 5s, 10s</p>	<p>Children will understand equal groups and share items out in play and problem solving. They will count in 2s and 10s and later in 5s.</p> 

KEY STAGE 1

Children develop the core ideas that underpin all calculation. They begin by connecting calculation with counting on and counting back, but they should learn that understanding wholes and parts will enable them to calculate efficiently and accurately, and with greater flexibility. They learn how to use an understanding of 10s and 1s to develop their calculation strategies, especially in addition and subtraction.

**Key language:** whole, part, ones, ten, tens, number bond, add, addition, plus, total, altogether, subtract, subtraction, find the difference, take away, minus, less, more, group, share, equal, equals, is equal to, groups, equal groups, times, multiply, multiplied by, divide, share, shared equally, times-table

**Addition and subtraction:** Children first learn to connect addition and subtraction with counting, but they soon develop two very important skills: an understanding of parts and wholes, and an understanding of unitising 10s, to develop efficient and effective calculation strategies based on known number bonds and an increasing awareness of place value. Addition and subtraction are taught in a way that is interlinked

**Multiplication and division:** Children develop an awareness of equal groups and link this with counting in equal steps, starting with 2s, 5s and 10s. In Year 2, they learn to connect the language of equal groups with the mathematical symbols for multiplication and division. They learn how multiplication and division can be related to repeated addition and repeated subtraction to find the answer to the calculation.

**Fractions:** In Year 1, children encounter halves and quarters, and link this with their understanding of sharing. They experience key spatial representations of these fractions, and learn to recognise examples and non-examples, based on their awareness of equal parts of a whole. In Year 2, they develop an awareness of unit fractions and experience non-unit fractions, and they learn to write them and read them in the

to highlight the link between the two operations. A key idea is that children will select methods and approaches based on their number sense. For example, in Year 1, when faced with  $15 - 3$  and  $15 - 13$ , they will adapt their ways of approaching the calculation appropriately. The teaching should always emphasise the importance of mathematical thinking to ensure accuracy and flexibility of approach, and the importance of using known number facts to harness their recall of bonds within 20 to support both addition and subtraction methods.



In Year 2, they will start to see calculations presented in a column format, although this is not expected to be formalised until KS2. We show the column method in Year 2 as an option; teachers may not wish to include it until Year 3.







In this key stage, it is vital that children explore and experience a variety of strong images and manipulative representations of equal groups, including concrete experiences as well as abstract calculations.








Children begin to recall some key multiplication facts, including doubles, and an understanding of the 2, 5 and 10 times-tables and how they are related to counting.






common format of numerator and denominator.







Year 1








	Concrete	Pictorial	Abstract
<p><b>Year 1 Addition</b></p>	<p><b>Counting and adding more</b> Children add one more person or object to a group to find one more.</p>	<p><b>Counting and adding more</b> Children add one more cube or counter to a group to represent one more.</p>  <p><i>One more than 4 is 5.</i></p>	<p><b>Counting and adding more</b> Use a number line to understand how to link counting on with finding one more.</p>  <p><i>One more than 6 is 7. 7 is one more than 6.</i></p> <p>Learn to link counting on with adding more than one.</p> 

	<p><b>Understanding part-part-whole relationship</b> Sort people and objects into parts and understand the relationship with the whole.</p>  <p><i>The parts are 2 and 4. The whole is 6.</i></p>	<p><b>Understanding part-part-whole relationship</b> Children draw to represent the parts and understand the relationship with the whole.</p>  <p><i>The parts are 1 and 5. The whole is 6.</i></p>	<p><math>5 + 3 = 8</math></p> <p><b>Understanding part-part-whole relationship</b> Use a part-whole model to represent the numbers.</p>  <p><math>6 + 4 = 10</math></p> <p><math>6 + 4 = 10</math></p>
	<p><b>Knowing and finding number bonds within 10</b> Break apart a group and put back together to find and form number bonds.</p>  <p><math>3 + 4 = 7</math></p>  <p><math>6 = 2 + 4</math></p>	<p><b>Knowing and finding number bonds within 10</b> Use five and ten frames to represent key number bonds.</p>  <p><math>5 = 4 + 1</math></p>  <p><math>10 = 7 + 3</math></p>	<p><b>Knowing and finding number bonds within 10</b> Use a part-whole model alongside other representations to find number bonds. Make sure to include examples where one of the parts is zero.</p> <p>a)</p>  <p>b)</p>  <p><math>4 + 0 = 4</math> <math>3 + 1 = 4</math></p>

	<p><b>Understanding teen numbers as a complete 10 and some more</b> Complete a group of 10 objects and count more.</p>  <p><i>13 is 10 and 3 more.</i></p>	<p><b>Understanding teen numbers as a complete 10 and some more</b> Use a ten frame to support understanding of a complete 10 for teen numbers.</p>  <p><i>13 is 10 and 3 more.</i></p>	<p><b>Understanding teen numbers as a complete 10 and some more.</b></p> <p><i>1 ten and 3 ones equal 13.</i> <math>10 + 3 = 13</math></p>
<p><b>Adding by counting on</b> Children use knowledge of counting to 20 to find a total by counting on using people or objects.</p> 	<p><b>Adding by counting on</b> Children use counters to support and represent their counting on strategy.</p> 	<p><b>Adding by counting on</b> Children use number lines or number tracks to support their counting on strategy.</p>  <p><math>7 + 5 = \square</math></p>	
<p><b>Adding the 1s</b> Children use bead strings to recognise how to add the 1s to find the total efficiently.</p>  <p><math>2 + 3 = 5</math> <math>12 + 3 = 15</math></p>	<p><b>Adding the 1s</b> Children represent calculations using ten frames to add a teen and 1s.</p>  <p><math>2 + 3 = 5</math> <math>12 + 3 = 15</math></p>	<p><b>Adding the 1s</b> Children recognise that a teen is made from a 10 and some 1s and use their knowledge of addition within 10 to work efficiently.</p> <p><math>3 + 5 = 8</math> So, <math>13 + 5 = 18</math></p>	
<p><b>Bridging the 10 using number bonds</b> Children use a bead string to complete a 10</p>	<p><b>Bridging the 10 using number bonds</b> Children use counters to complete a ten</p>	<p><b>Bridging the 10 using number bonds</b> Use a part-whole model and a number line</p>	

	<p>and understand how this relates to the addition.</p>  <p><i>7 add 3 makes 10. So, 7 add 5 is 10 and 2 more.</i></p>	<p>frame and understand how they can add using knowledge of number bonds to 10.</p> 	<p>to support the calculation.</p>  <p><math>9 + 4 = 13</math></p>
<p><b>Year 1 Subtraction</b></p>	<p><b>Counting back and taking away</b> Children arrange objects and remove to find how many are left.</p>  <p><i>1 less than 6 is 5. 6 subtract 1 is 5.</i></p>	<p><b>Counting back and taking away</b> Children draw and cross out or use counters to represent objects from a problem.</p>  <p><math>9 - \square = \square</math> There are <input type="text"/> children left.</p>	<p><b>Counting back and taking away</b> Children count back to take away and use a number line or number track to support the method.</p>  <p><math>9 - 3 = 6</math></p>
	<p><b>Finding a missing part, given a whole and a part</b> Children separate a whole into parts and understand how one part can be found by subtraction.</p>	<p><b>Finding a missing part, given a whole and a part</b> Children represent a whole and a part and understand how to find the missing part by subtraction.</p>	<p><b>Finding a missing part, given a whole and a part</b> Children use a part-whole model to support the subtraction to find a missing part.</p>  <p><math>7 - 3 = ?</math></p> <p>Children develop an understanding of the relationship between addition and</p>


 <p><math>8 - 5 = ?</math></p>	 <p><math>5 - 4 = \square</math></p>	<p>subtraction facts in a part-whole model.</p>  <p> <math>\square - \square = \square</math>  <math>\square - \square = \square</math>  <math>\square + \square = \square</math>  <math>\square + \square = \square</math> </p>
<p><b>Finding the difference</b>          Arrange two groups so that the difference between the groups can be worked out.</p>  <p> <i>8 is 2 more than 6.</i>  <i>6 is 2 less than 8.</i>  <i>The difference between 8 and 6 is 2.</i> </p>	<p><b>Finding the difference</b>          Represent objects using sketches or counters to support finding the difference.</p>  <p> <math>5 - 4 = 1</math>  <i>The difference between 5 and 4 is 1.</i> </p>	<p><b>Finding the difference</b>          Children understand 'find the difference' as subtraction.</p>  <p> <math>10 - 4 = 6</math>  <i>The difference between 10 and 6 is 4.</i> </p>
<p><b>Subtraction within 20</b>          Understand when and how to subtract 1s efficiently.</p> <p>Use a bead string to subtract 1s efficiently.</p>  <p> <math>5 - 3 = 2</math>  <math>15 - 3 = 12</math> </p>	<p><b>Subtraction within 20</b>          Understand when and how to subtract 1s efficiently.</p>  <p> <math>5 - 3 = 2</math>  <math>15 - 3 = 12</math> </p>	<p><b>Subtraction within 20</b>          Understand how to use knowledge of bonds within 10 to subtract efficiently.</p> <p> <math>5 - 3 = 2</math>  <math>15 - 3 = 12</math> </p>

	<p><b>Subtracting 10s and 1s</b> For example: <math>18 - 12</math></p> <p>Subtract 12 by first subtracting the 10, then the remaining 2.</p>  <p><i>First subtract the 10, then take away 2.</i></p>	<p><b>Subtracting 10s and 1s</b> For example: <math>18 - 12</math></p> <p>Use ten frames to represent the efficient method of subtracting 12.</p>  <p><i>First subtract the 10, then subtract 2.</i></p>	<p><b>Subtracting 10s and 1s</b> Use a part-whole model to support the calculation.</p>  <p><math>19 - 14</math> <math>19 - 10 = 9</math> <math>9 - 4 = 5</math> So, <math>19 - 14 = 5</math></p>
	<p><b>Subtraction bridging 10 using number bonds</b> For example: <math>12 - 7</math></p> <p>Arrange objects into a 10 and some 1s, then decide on how to split the 7 into parts.</p>  <p><i>7 is 2 and 5, so I take away the 2 and then the 5.</i></p>	<p><b>Subtraction bridging 10 using number bonds</b> Represent the use of bonds using ten frames.</p>  <p><i>For <math>13 - 5</math>, I take away 3 to make 10, then take away 2 to make 8.</i></p>	<p><b>Subtraction bridging 10 using number bonds</b> Use a number line and a part-whole model to support the method.</p> <p><math>13 - 5</math></p> 
<p><b>Year 1 Multiplication</b></p>	<p><b>Recognising and making equal groups</b> Children arrange objects in equal and unequal groups and understand how to recognise whether they are equal.</p> <p>A  B  C </p> <p><b>Finding the total of equal groups by counting in 2s, 5s and 10s</b></p>	<p><b>Recognising and making equal groups</b> Children draw and represent equal and unequal groups.</p> <p>A  B </p> <p><b>Finding the total of equal groups by counting in 2s, 5s and 10s</b></p>	<p><b>Describe equal groups using words</b></p> <p><i>Three equal groups of 4. Four equal groups of 3.</i></p> <p><b>Finding the total of equal groups by counting in 2s, 5s and 10s</b></p>




There are 5 pens in each pack ...  
5...10...15...20...25...30...35...40...

100 squares and ten frames support counting in 2s, 5s and 10s.



1	2	3	4	5	6	7	8	9	10
11	12	13	14	15	16	17	18	19	20
21	22	23	24	25	26	27	28	29	30
31	32	33	34	35	36	37	38	39	40
41	42	43	44	45	46	47	48	49	50

Use a number line to support repeated addition through counting in 2s, 5s and 10s.



0 10 20 30 40 50

**Year 1 Division**


**Grouping**  
Learn to make equal groups from a whole and find how many equal groups of a certain size can be made.

Sort a whole set people and objects into equal groups.




*There are 10 children altogether.  
There are 2 in each group.  
There are 5 groups.*

**Grouping**  
Represent a whole and work out how many equal groups.




*There are 10 in total.  
There are 5 in each group.  
There are 2 groups.*

**Grouping**  
Children may relate this to counting back in steps of 2, 5 or 10.



0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15

**Sharing**  
Share a set of objects into equal parts and work out how many are in each part.









**Sharing**  
Sketch or draw to represent sharing into equal parts. This may be related to fractions.



**Sharing**  
*10 shared into 2 equal groups gives 5 in each group.*

Year 2

	Concrete	Pictorial	Abstract										
<b>Year 2 Addition</b>													
<b>Understanding 10s and 1s</b>	<p>Group objects into 10s and 1s.</p>  <p>Bundle straws to understand unitising of 10s.</p> 	<p>Understand 10s and 1s equipment, and link with visual representations on ten frames.</p> 	<p>Represent numbers on a place value grid, using equipment or numerals.</p> <table border="1" data-bbox="1543 426 1852 753"> <tr> <th>Tens</th> <th>Ones</th> </tr> <tr> <td></td> <td></td> </tr> <tr> <td>3</td> <td>2</td> </tr> <tr> <th>Tens</th> <th>Ones</th> </tr> <tr> <td>4</td> <td>3</td> </tr> </table>	Tens	Ones			3	2	Tens	Ones	4	3
Tens	Ones												
													
3	2												
Tens	Ones												
4	3												
<b>Adding 10s</b>	<p>Use known bonds and unitising to add 10s.</p>  <p><i>I know that 4 + 3 = 7. So, I know that 4 tens add 3 tens is 7 tens.</i></p>	<p>Use known bonds and unitising to add 10s.</p>  <p><i>I know that 4 + 3 = 7. So, I know that 4 tens add 3 tens is 7 tens.</i></p>	<p>Use known bonds and unitising to add 10s.</p>  <p><math>4 + 3 = \square</math></p> <p><math>4 + 3 = 7</math>  <math>4 \text{ tens} + 3 \text{ tens} = 7 \text{ tens}</math>  <math>40 + 30 = 70</math></p>										
<b>Adding a 1-digit number to a 2-digit number not</b>	<p>Add the 1s to find the total. Use known bonds within 10.</p>	<p>Add the 1s.</p>	<p>Add the 1s.</p> <p>Understand the link between counting on and using known number facts. Children</p>										


**bridging a 10**



41 is 4 tens and 1 one.  
41 add 6 ones is 4 tens and 7 ones.

This can also be done in a place value grid.


T	O



34 is 3 tens and 4 ones.  
4 ones and 5 ones are 9 ones.  
The total is 3 tens and 9 ones.

T	O

should be encouraged to use known number bonds to improve efficiency and accuracy.



This can be represented horizontally or vertically.

$$34 + 5 = 39$$

or

T	O
3	4
+	5
	9


**Adding a 1-digit number to a 2-digit number bridging 10**

Complete a 10 using number bonds.




There are 4 tens and 5 ones.  
I need to add 7. I will use 5 to complete a 10, then add 2 more.

Complete a 10 using number bonds.



Complete a 10 using number bonds.



$$7 = 5 + 2$$





$$45 + 5 + 2 = 52$$






**Adding a 1-digit number to a 2-digit number using exchange**



Exchange 10 ones for 1 ten.




















Exchange 10 ones for 1 ten.







Exchange 10 ones for 1 ten.

																																																																																																							
<p><b>Adding a multiple of 10 to a 2-digit number</b></p>	<p>Add the 10s and then recombine.</p>  <p>27 is 2 tens and 7 ones. 50 is 5 tens.</p> <p>There are 7 tens in total and 7 ones. So, 27 + 50 is 7 tens and 7 ones.</p>	<p>Add the 10s and then recombine.</p>  <p>66 is 6 tens and 6 ones. 66 + 10 = 76</p> <p>A 100 square can support this understanding.</p> <table border="1" data-bbox="943 1011 1182 1251"> <tbody> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td></tr> <tr><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td></tr> <tr><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td></tr> <tr><td>31</td><td>32</td><td>33</td><td>34</td><td>35</td><td>36</td><td>37</td><td>38</td><td>39</td><td>40</td></tr> <tr><td>41</td><td>42</td><td>43</td><td>44</td><td>45</td><td>46</td><td>47</td><td>48</td><td>49</td><td>50</td></tr> <tr><td>51</td><td>52</td><td>53</td><td>54</td><td>55</td><td>56</td><td>57</td><td>58</td><td>59</td><td>60</td></tr> <tr><td>61</td><td>62</td><td>63</td><td>64</td><td>65</td><td>66</td><td>67</td><td>68</td><td>69</td><td>70</td></tr> <tr><td>71</td><td>72</td><td>73</td><td>74</td><td>75</td><td>76</td><td>77</td><td>78</td><td>79</td><td>80</td></tr> <tr><td>81</td><td>82</td><td>83</td><td>84</td><td>85</td><td>86</td><td>87</td><td>88</td><td>89</td><td>90</td></tr> <tr><td>91</td><td>92</td><td>93</td><td>94</td><td>95</td><td>96</td><td>97</td><td>98</td><td>99</td><td>100</td></tr> </tbody> </table>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	<p>Add the 10s and then recombine.</p> <p><math>37 + 20 = ?</math></p> <p><math>30 + 20 = 50</math> <math>50 + 7 = 57</math></p> <p><math>37 + 20 = 57</math></p>
1	2	3	4	5	6	7	8	9	10																																																																																														
11	12	13	14	15	16	17	18	19	20																																																																																														
21	22	23	24	25	26	27	28	29	30																																																																																														
31	32	33	34	35	36	37	38	39	40																																																																																														
41	42	43	44	45	46	47	48	49	50																																																																																														
51	52	53	54	55	56	57	58	59	60																																																																																														
61	62	63	64	65	66	67	68	69	70																																																																																														
71	72	73	74	75	76	77	78	79	80																																																																																														
81	82	83	84	85	86	87	88	89	90																																																																																														
91	92	93	94	95	96	97	98	99	100																																																																																														
<p><b>Adding a multiple of 10 to a 2-digit number using columns</b></p>	<p>Add the 10s using a place value grid to support.</p>	<p>Add the 10s using a place value grid to support.</p>	<p>Add the 10s represented vertically. Children must understand how the method relates to unitising of 10s and place value.</p>																																																																																																				





	 <p>16 is 1 ten and 6 ones. 30 is 3 tens. There are 4 tens and 6 ones in total.</p>	 <p>16 is 1 ten and 6 ones. 30 is 3 tens. There are 4 tens and 6 ones in total.</p>	<table border="1" data-bbox="1563 124 1749 379"> <tr><td>T</td><td>O</td></tr> <tr><td>1</td><td>6</td></tr> <tr><td>+</td><td>30</td></tr> <tr><td>4</td><td>6</td></tr> </table> <p><math>1 + 3 = 4</math> <math>1 \text{ ten} + 3 \text{ tens} = 4 \text{ tens}</math> <math>16 + 30 = 46</math></p>	T	O	1	6	+	30	4	6
T	O										
1	6										
+	30										
4	6										
<p><b>Adding two 2-digit numbers</b></p>	<p>Add the 10s and 1s separately.</p>  <p><math>5 + 3 = 8</math> There are 8 ones in total.</p> <p><math>3 + 2 = 5</math> There are 5 tens in total.</p> <p><math>35 + 23 = 58</math></p>	<p>Add the 10s and 1s separately. Use a part-whole model to support.</p>  <p><math>11 = 10 + 1</math> <math>32 + 10 = 42</math> <math>42 + 1 = 43</math> <math>32 + 11 = 43</math></p>	<p>Add the 10s and the 1s separately, bridging 10s where required. A number line can support the calculations.</p>  <p><math>17 + 25</math></p> <table border="1" data-bbox="2049 794 2116 901"> <tr><td>T</td><td>O</td></tr> <tr><td>1</td><td>7</td></tr> <tr><td>+</td><td>25</td></tr> <tr><td>—</td><td>—</td></tr> </table>	T	O	1	7	+	25	—	—
T	O										
1	7										
+	25										
—	—										
<p><b>Adding two 2-digit numbers using a place value grid</b></p>	<p>Add the 1s. Then add the 10s.</p>		<p>Add the 1s. Then add the 10s.</p>								



			$\begin{array}{r} \text{T} \text{ O} \\ 3 \ 2 \\ + 1 \ 4 \\ \hline 4 \ 6 \end{array}$
<p><b>Adding two 2-digit numbers with exchange</b></p>	<p>Add the 1s. Exchange 10 ones for a ten. Then add the 10s.</p> 		<p>Add the 1s. Exchange 10 ones for a ten. Then add the 10s.</p> $\begin{array}{r} \text{T} \ \text{O} \\ 3 \ 6 \\ + 2 \ 9 \\ \hline 4 \ 5 \end{array}$
<p><b>Year 2 Subtraction</b></p>			
<p><b>Subtracting multiples of 10</b></p>	<p>Use known number bonds and unitising to subtract multiples of 10.</p>	<p>Use known number bonds and unitising to subtract multiples of 10.</p>	<p>Use known number bonds and unitising to subtract multiples of 10.</p>


	 <p>8 subtract 6 is 2. So, 8 tens subtract 6 tens is 2 tens.</p>	<table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td colspan="2" style="text-align: center;">100</td></tr> <tr><td style="width: 50%;"></td><td style="text-align: center;">30</td></tr> </table> <p><math>10 - 3 = 7</math> So, 10 tens subtract 3 tens is 7 tens.</p>	100			30	 <p>7 tens subtract 5 tens is 2 tens. <math>70 - 50 = 20</math></p>												
100																			
	30																		
<p><b>Subtracting a single-digit number</b></p>	<p>Subtract the 1s. This may be done in or out of a place value grid.</p>  <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td style="text-align: center;">T</td><td style="text-align: center;">O</td></tr> <tr><td style="text-align: center;"></td><td style="text-align: center;"></td></tr> </table>	T	O			<p>Subtract the 1s. This may be done in or out of a place value grid.</p>  <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td style="text-align: center;">T</td><td style="text-align: center;">O</td></tr> <tr><td style="text-align: center;"></td><td style="text-align: center;"></td></tr> </table>	T	O			<p>Subtract the 1s. Understand the link between counting back and subtracting the 1s using known bonds.</p>  <table style="margin-left: auto; margin-right: auto;"> <tr><td style="text-align: center;">T</td><td style="text-align: center;">O</td></tr> <tr><td style="text-align: center;">3</td><td style="text-align: center;">9</td></tr> <tr><td style="text-align: center;">-</td><td style="text-align: center;">3</td></tr> <tr><td style="text-align: center;">3</td><td style="text-align: center;">6</td></tr> </table> <p style="margin-left: 100px;"><math>9 - 3 = 6</math> <math>39 - 3 = 36</math></p>	T	O	3	9	-	3	3	6
T	O																		
																			
T	O																		
																			
T	O																		
3	9																		
-	3																		
3	6																		
<p><b>Subtracting a single-digit number bridging 10</b></p>	<p>Bridge 10 by using known bonds.</p>  <p><math>35 - 6</math> I took away 5 counters, then 1 more.</p>	<p>Bridge 10 by using known bonds.</p>  <p><math>35 - 6</math> First, I will subtract 5, then 1.</p>	<p>Bridge 10 by using known bonds.</p>  <p><math>24 - 6 = ?</math> <math>24 - 4 - 2 = ?</math></p>																
<p><b>Subtracting a single-digit number using exchange</b></p>	<p>Exchange 1 ten for 10 ones. This may be done in or out of a place value grid.</p>	<p>Exchange 1 ten for 10 ones.</p>	<p>Exchange 1 ten for 10 ones.</p>																

			 <p><math>25 - 7 = 18</math></p>																																																																																																				
<p><b>Subtracting a 2-digit number</b></p>	<p>Subtract by taking away.</p>  <p><math>61 - 18</math> I took away 1 ten and 8 ones.</p>	<p>Subtract the 10s and the 1s.</p> <p>This can be represented on a 100 square.</p> <table border="1" data-bbox="943 767 1312 1134"> <tbody> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td></tr> <tr><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td></tr> <tr><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td></tr> <tr><td>31</td><td>32</td><td>33</td><td>34</td><td>35</td><td>36</td><td>37</td><td>38</td><td>39</td><td>40</td></tr> <tr><td>41</td><td>42</td><td>43</td><td>44</td><td>45</td><td>46</td><td>47</td><td>48</td><td>49</td><td>50</td></tr> <tr><td>51</td><td>52</td><td>53</td><td>54</td><td>55</td><td>56</td><td>57</td><td>58</td><td>59</td><td>60</td></tr> <tr><td>61</td><td>62</td><td>63</td><td>64</td><td>65</td><td>66</td><td>67</td><td>68</td><td>69</td><td>70</td></tr> <tr><td>71</td><td>72</td><td>73</td><td>74</td><td>75</td><td>76</td><td>77</td><td>78</td><td>79</td><td>80</td></tr> <tr><td>81</td><td>82</td><td>83</td><td>84</td><td>85</td><td>86</td><td>87</td><td>88</td><td>89</td><td>90</td></tr> <tr><td>91</td><td>92</td><td>93</td><td>94</td><td>95</td><td>96</td><td>97</td><td>98</td><td>99</td><td>100</td></tr> </tbody> </table>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86	87	88	89	90	91	92	93	94	95	96	97	98	99	100	<p>Subtract the 10s and the 1s.</p> <p>This can be represented on a number line.</p>  <p><math>64 - 41 = ?</math></p> <p><math>64 - 1 = 63</math> <math>63 - 40 = 23</math> <math>64 - 41 = 23</math></p>  <p><math>46 - 20 = 26</math> <math>26 - 5 = 21</math> <math>46 - 25 = 21</math></p>
1	2	3	4	5	6	7	8	9	10																																																																																														
11	12	13	14	15	16	17	18	19	20																																																																																														
21	22	23	24	25	26	27	28	29	30																																																																																														
31	32	33	34	35	36	37	38	39	40																																																																																														
41	42	43	44	45	46	47	48	49	50																																																																																														
51	52	53	54	55	56	57	58	59	60																																																																																														
61	62	63	64	65	66	67	68	69	70																																																																																														
71	72	73	74	75	76	77	78	79	80																																																																																														
81	82	83	84	85	86	87	88	89	90																																																																																														
91	92	93	94	95	96	97	98	99	100																																																																																														
<p><b>Subtracting a 2-digit number using place value and</b></p>	<p>Subtract the 1s. Then subtract the 10s. This may be done in or out of a place value grid.</p>	<p>Subtract the 1s. Then subtract the 10s.</p>	<p>Using column subtraction, subtract the 1s. Then subtract the 10s.</p>																																																																																																				

<p><b>columns</b></p>	<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table> <p><math>38 - 16 = 22</math></p>	T	O			<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">Tens</th> <th style="width: 50%;">Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Tens	Ones			<table style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>5</td> </tr> <tr> <td>- 1</td> <td>2</td> </tr> <tr> <td style="border-top: 1px solid black;">3</td> <td style="border-top: 1px solid black;">3</td> </tr> </tbody> </table> <table style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>5</td> </tr> <tr> <td>- 1</td> <td>2</td> </tr> <tr> <td style="border-top: 1px solid black;">3</td> <td style="border-top: 1px solid black;">3</td> </tr> </tbody> </table>	T	O	4	5	- 1	2	3	3	T	O	4	5	- 1	2	3	3																
T	O																																										
Tens	Ones																																										
T	O																																										
4	5																																										
- 1	2																																										
3	3																																										
T	O																																										
4	5																																										
- 1	2																																										
3	3																																										
<p><b>Subtracting a 2-digit number with exchange</b></p>		<p>Exchange 1 ten for 10 ones. Then subtract the 1s. Then subtract the 10s.</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">Tens</th> <th style="width: 50%;">Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">Tens</th> <th style="width: 50%;">Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">Tens</th> <th style="width: 50%;">Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">Tens</th> <th style="width: 50%;">Ones</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> </tr> </tbody> </table>	Tens	Ones			Tens	Ones			Tens	Ones			Tens	Ones			<p>Using column subtraction, exchange 1 ten for 10 ones. Then subtract the 1s. Then subtract the 10s.</p> <table style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td>4</td> <td>5</td> </tr> <tr> <td>- 2</td> <td>7</td> </tr> <tr> <td style="border-top: 1px solid black;">2</td> <td style="border-top: 1px solid black;">2</td> </tr> </tbody> </table> <table style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td><del>3</del></td> <td>15</td> </tr> <tr> <td>- 2</td> <td>7</td> </tr> <tr> <td style="border-top: 1px solid black;">1</td> <td style="border-top: 1px solid black;">8</td> </tr> </tbody> </table> <table style="width: 100%; text-align: center;"> <thead> <tr> <th style="width: 50%;">T</th> <th style="width: 50%;">O</th> </tr> </thead> <tbody> <tr> <td><del>3</del></td> <td>15</td> </tr> <tr> <td>- 2</td> <td>7</td> </tr> <tr> <td style="border-top: 1px solid black;">1</td> <td style="border-top: 1px solid black;">8</td> </tr> </tbody> </table>	T	O	4	5	- 2	7	2	2	T	O	<del>3</del>	15	- 2	7	1	8	T	O	<del>3</del>	15	- 2	7	1	8
Tens	Ones																																										
Tens	Ones																																										
Tens	Ones																																										
Tens	Ones																																										
T	O																																										
4	5																																										
- 2	7																																										
2	2																																										
T	O																																										
<del>3</del>	15																																										
- 2	7																																										
1	8																																										
T	O																																										
<del>3</del>	15																																										
- 2	7																																										
1	8																																										
<p><b>Year 2 Multiplication</b></p>																																											
<p><b>Equal groups and repeated</b></p>	<p>Recognise equal groups and write as repeated addition and as multiplication.</p>	<p>Recognise equal groups using standard objects such as counters and write as</p>	<p>Use a number line and write as repeated addition and as multiplication.</p>																																								

<p><b>addition</b></p>	 <p>3 groups of 5 chairs 15 chairs altogether</p>	<p>repeated addition and multiplication.</p>  <p>3 groups of 5 15 in total</p>	 <p><math>5 + 5 + 5 = 15</math> <math>3 \times 5 = 15</math></p>
<p><b>Using arrays to represent multiplication and support understanding</b></p>	<p>Understand the relationship between arrays, multiplication and repeated addition.</p>  <p>4 groups of 5</p>	<p>Understand the relationship between arrays, multiplication and repeated addition.</p>  <p>4 groups of 5 ... 5 groups of 5</p>	<p>Understand the relationship between arrays, multiplication and repeated addition.</p>  <p><math>5 \times 5 = 25</math></p>
<p><b>Understanding commutativity</b></p>	<p>Use arrays to visualise commutativity.</p>  <p>I can see 6 groups of 3. I can see 3 groups of 6.</p>	<p>Form arrays using counters to visualise commutativity. Rotate the array to show that orientation does not change the multiplication.</p>  <p>This is 2 groups of 6 and also 6 groups of 2.</p>	<p>Use arrays to visualise commutativity.</p>  <p><math>4 + 4 + 4 + 4 + 4 = 20</math> <math>5 + 5 + 5 + 5 = 20</math> <math>4 \times 5 = 20</math> and <math>5 \times 4 = 20</math></p>
<p><b>Learning <math>\times 2</math>, <math>\times 5</math> and <math>\times 10</math> table facts</b></p>	<p>Develop an understanding of how to unitise groups of 2, 5 and 10 and learn corresponding times-table facts.</p>	<p>Understand how to relate counting in unitised groups and repeated addition with knowing key times-table facts.</p>	<p>Understand how the times-tables increase and contain patterns.</p>

	 <p>3 groups of 10 ... 10, 20, 30  <math>3 \times 10 = 30</math></p>	 <p><math>10 + 10 + 10 = 30</math>  <math>3 \times 10 = 30</math></p>	 <p><math>5 \times 10 = 50</math>  <math>6 \times 10 = 60</math></p>
<p><b>Year 2 Division</b></p>			
<p><b>Sharing equally</b></p>	<p>Start with a whole and share into equal parts, one at a time.</p>	<p>Represent the objects shared into equal parts using a bar model.</p>	<p>Use a bar model to support understanding of the division.</p>



12 shared equally between 2.  
They get 6 each.

Start to understand how this also relates to grouping. To share equally between 3 people, take a group of 3 and give 1 to each person. Keep going until all the objects have been shared



15




They get 5  each.

15 shared equally between 3.  
They get 5 each.



20 shared into 5 equal parts.  
There are 4 in each part.



18

$$18 \div 2 = 9$$

**Grouping equally**





Understand how to make equal groups from a whole.



8 divided into 4 equal groups.  
There are 2 in each group.

Understand the relationship between grouping and the division statements.

Understand how to relate division by grouping to repeated subtraction.

		<p><math>12 \div 3 = 4</math></p>  <p><math>12 \div 4 = 3</math></p>  <p><math>12 \div 6 = 2</math></p>  <p><math>12 \div 2 = 6</math></p> 	 <p>There are 4 groups now.</p> <p><i>12 divided into groups of 3.</i>  <math>12 \div 3 = 4</math></p> <p><i>There are 4 groups.</i></p>
<p><b>Using known times-tables to solve divisions</b></p>	<p>Understand the relationship between multiplication facts and division.</p>  <p><i>4 groups of 5 cars is 20 cars in total.          20 divided by 4 is 5.</i></p>	<p>Link equal grouping with repeated subtraction and known times-table facts to support division.</p>  <p><i>40 divided by 4 is 10.</i></p> <p>Use a bar model to support understanding of the link between times-table knowledge and division.</p> 	<p>Relate times-table knowledge directly to division.</p> <p> <math>1 \times 10 = 10</math>  <math>2 \times 10 = 20</math>  <math>3 \times 10 = 30</math>  <math>4 \times 10 = 40</math>  <math>5 \times 10 = 50</math>  <math>6 \times 10 = 60</math>  <math>7 \times 10 = 70</math>  <math>8 \times 10 = 80</math> </p> <div style="border: 1px solid orange; border-radius: 15px; padding: 10px; display: inline-block;"> <p>I used the 10 times-table to help me.  <math>3 \times 10 = 30</math>.</p> </div> <p><i>I know that 3 groups of 10 makes 30, so I know that 30 divided by 10 is 3.</i></p> <p><math>3 \times 10 = 30</math> so <math>30 \div 10 = 3</math></p>

**KEY STAGE 2**

In Years 3 and 4, children develop the basis of written methods by building their skills alongside a deep understanding of place value. They should use known addition/subtraction and multiplication/division facts to calculate efficiently and accurately, rather than relying on counting. Children use place value equipment to support their understanding, but not as a substitute for thinking.

**Key language:** partition, place value, tens, hundreds, thousands, column method, whole, part, equal groups, sharing, grouping, bar model

**Addition and subtraction:** In Year 3 especially, the column methods are built up gradually. Children will develop their understanding of how each stage of the calculation, including any exchanges, relates to place value. The example calculations chosen to introduce the stages of each method may often be more suited to a mental method. However, the examples and the progression of the steps have been chosen to help children develop their fluency in the process, alongside a deep understanding of the concepts and the numbers involved, so that they can apply these skills accurately and efficiently to later calculations. The class should be encouraged to compare mental and written methods for specific calculations, and children should be encouraged at every stage to make choices about which methods to apply.

In Year 4, the steps are shown without such fine detail, although children should continue to build their understanding with a secure basis in place value. In subtraction, children will need to develop their understanding of exchange as they may need to exchange across one or two columns. By the end of Year 4, children should have developed fluency in column methods alongside a deep understanding, which will allow them to progress confidently in upper Key Stage 2.






**Multiplication and division:** Children build a solid grounding in times-tables, understanding the multiplication and division facts in tandem. As such, they should be as confident knowing that 35 divided by 7 is 5 as knowing that 5 times 7 is 35. Children develop key skills to support multiplication methods: unitising, commutativity, and how to use partitioning effectively. Unitising allows children to use known facts to multiply and divide multiples of 10 and 100 efficiently. Commutativity gives children flexibility in applying known facts to calculations and problem solving. An understanding of partitioning allows children to extend their skills to multiplying and dividing 2- and 3-digit numbers by a single digit. Children develop column methods to support multiplications in these cases. For successful division, children will need to make choices about how to partition. For example, to divide 423 by 3, it is effective to partition 423 into 300, 120 and 3, as these can be divided by 3 using known facts. Children will also need to understand the concept of remainder, in terms of a given calculation and in terms of the context of the problem.





**Fractions:** Children develop the key concept of equivalent fractions, and link this with multiplying and dividing the numerators and denominators, as well as exploring the visual concept through fractions of shapes. Children learn how to find a fraction of an amount, and develop this with the aid of a bar model and other representations alongside.














in Year 3, children develop an understanding of how to add and subtract fractions with the same denominator and find complements to the whole. This is developed alongside an understanding of fractions as numbers, including fractions greater than 1. In Year 4, children begin to work with fractions greater than 1. Decimals are introduced, as tenths in Year 3 and then as hundredths in Year 4. Children develop an understanding of decimals in terms of the relationship with fractions, with dividing by 10 and 100, and also with place value.






**Year 3**



	Concrete	Pictorial	Abstract
--	----------	-----------	----------






Year 3 Addition			
<p><b>Understanding 100s</b></p>	<p>Understand the cardinality of 100, and the link with 10 tens.</p> <p>Use cubes to place into groups of 10 tens.</p> 	<p>Unitise 100 and count in steps of 100.</p> 	<p>Represent steps of 100 on a number line and a number track and count up to 1,000 and back to 0.</p> 
<p><b>Understanding place value to 1,000</b></p>	<p>Unitise 100s, 10s and 1s to build 3-digit numbers.</p> 	<p>Use equipment to represent numbers to 1,000.</p>  <p>Use a place value grid to support the structure of numbers to 1,000.</p> <p>Place value counters are used alongside other equipment. Children should understand how each counter represents a different unitised amount.</p>	<p>Represent the parts of numbers to 1,000 using a part-whole model.</p>  <p><math>215 = 200 + 10 + 5</math></p> <p>Recognise numbers to 1,000 represented on a number line, including those between intervals.</p>
<p><b>Adding 100s</b></p>	<p>Use known facts and unitising to add multiples of 100.</p>	<p>Use known facts and unitising to add multiples of 100.</p>	<p>Use known facts and unitising to add multiples of 100.</p> <p>Represent the addition on a number line.</p> <p>Use a part-whole model to support unitising.</p>






	 <p> <math>3 + 2 = 5</math>  <i>3 hundreds + 2 hundreds = 5 hundreds</i>  <math>300 + 200 = 500</math> </p>	 <p> <math>3 + 4 = 7</math>  <i>3 hundreds + 4 hundreds = 7 hundreds</i>  <math>300 + 400 = 700</math> </p>	 <p> <math>3 + 2 = 5</math>  <math>300 + 200 = 500</math> </p>												
<p><b>3-digit number + 1s, no exchange or bridging</b></p>	<p>Use number bonds to add the 1s.</p>  <p> <math>214 + 4 = ?</math>  <i>Now there are 4 + 4 ones in total.</i>  <math>4 + 4 = 8</math>  <math>214 + 4 = 218</math> </p>	<p>Use number bonds to add the 1s.</p> <table border="1" data-bbox="943 635 1245 879"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>4</td> <td>9</td> </tr> </tbody> </table> <p>Use number bonds to add the 1s.  <math>5 + 4 = 9</math></p> <p> <math>245 + 4</math>  <math>5 + 4 = 9</math>  <math>245 + 4 = 249</math> </p>	H	T	O							2	4	9	<p>Understand the link with counting on.</p> <p><math>245 + 4</math></p>  <p>Use number bonds to add the 1s and understand that this is more efficient and less prone to error.</p> <p> <math>245 + 4 = ?</math>  <i>I will add the 1s.</i>  <math>5 + 4 = 9</math>  <i>So, <math>245 + 4 = 249</math></i> </p>
H	T	O													
															
															
2	4	9													
<p><b>3-digit number + 1s with exchange</b></p>	<p>Understand that when the 1s sum to 10 or more, this requires an exchange of 10 ones for 1 ten.</p> <p>Children should explore this using unitised objects or physical apparatus.</p>	<p>Exchange 10 ones for 1 ten where needed. Use a place value grid to support the understanding.</p>	<p>Understand how to bridge by partitioning to the 1s to make the next 10.</p>												














		<table border="1" style="width: 100%; text-align: center;"> <tr> <td>H</td> <td>T</td> <td>O</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table> <table border="1" style="width: 100%; text-align: center;"> <tr> <td>H</td> <td>T</td> <td>O</td> </tr> <tr> <td></td> <td></td> <td> </td> </tr> </table> <table border="1" style="width: 100%; text-align: center;"> <tr> <td>H</td> <td>T</td> <td>O</td> </tr> <tr> <td></td> <td></td> <td> (circled in pink) </td> </tr> </table> <table border="1" style="width: 100%; text-align: center;"> <tr> <td>H</td> <td>T</td> <td>O</td> </tr> <tr> <td></td> <td></td> <td> (circled in pink) </td> </tr> </table> <table border="1" style="width: 100%; text-align: center;"> <tr> <td>H</td> <td>T</td> <td>O</td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </table> <p style="text-align: center;"><math>135 + 7 = 142</math></p>	H	T	O				H	T	O			 	H	T	O			 (circled in pink) 	H	T	O			 (circled in pink) 	H	T	O				 <p><math>135 + 7 = ?</math>  <math>135 + 5 + 2 = 142</math></p> <p>Ensure that children understand how to add 1s bridging a 100.</p> <p><math>198 + 5 = ?</math>  <math>198 + 2 + 3 = 203</math></p>
H	T	O																															
																																	
H	T	O																															
		 																															
H	T	O																															
		 (circled in pink) 																															
H	T	O																															
		 (circled in pink) 																															
H	T	O																															
																																	
<p><b>3-digit number + 10s, no exchange</b></p>	<p>Calculate mentally by forming the number bond for the 10s.</p>	<p>Calculate mentally by forming the number bond for the 10s.</p> <p><math>351 + 30 = ?</math></p>	<p>Calculate mentally by forming the number bond for the 10s.</p> <p><math>753 + 40</math></p> <p><i>I know that <math>5 + 4 = 9</math></i></p> <p>So, <math>50 + 40 = 90</math></p>																														
















	 <p> <math>234 + 50</math>  <i>There are 3 tens and 5 tens altogether.</i>  <math>3 + 5 = 8</math>  <i>In total there are 8 tens.</i>  <math>234 + 50 = 284</math> </p>	 <p> <math>5 \text{ tens} + 3 \text{ tens} = 8 \text{ tens}</math>  <math>351 + 30 = 381</math> </p>	<p><math>753 + 40 = 793</math></p>
<p><b>3-digit number + 10s, with exchange</b></p>	<p>Understand the exchange of 10 tens for 1 hundred.</p>  <p> <math>184 + 20 = ?</math> </p>  <p> <math>184 + 20 = 204</math> </p>	<p>Add by exchanging 10 tens for 1 hundred.</p> <p> <math>184 + 20 = ?</math> </p>  <p> <math>184 + 20 = 204</math> </p>	<p>Understand how the addition relates to counting on in 10s across 100.</p>  <p> <math>184 + 20 = ?</math> </p> <p> <i>I can count in 10s ... 194 ... 204</i>  <math>184 + 20 = 204</math> </p> <p>Use number bonds within 20 to support efficient mental calculations.</p> <p> <math>385 + 50</math>  <i>There are 8 tens and 5 tens.</i>  <i>That is 13 tens.</i>  <math>385 + 50 = 300 + 130 + 5</math>  <math>385 + 50 = 435</math> </p>
<p><b>3-digit number + 2-digit number</b></p>	<p>Use place value equipment to make and combine groups to model addition.</p> 	<p>Use a place value grid to organise thinking and adding of 1s, then 10s.</p>	<p>Use the vertical column method to represent the addition. Children must understand how this relates to place value at each stage of the calculation.</p>
<p><b>3-digit number</b></p>	<p>Use place value equipment to model</p>	<p>Represent the required exchange on a</p>	<p>Use a column method with exchange.</p>





<p><b>+ 2-digit number, exchange required</b></p>	<p>addition and understand where exchange is required.</p> <p><i>Use place value counters to represent <math>154 + 72</math>.</i></p> <p><i>Use this to decide if any exchange is required.</i></p> <p><i>There are 5 tens and 7 tens. That is 12 tens so 1 will exchange.</i></p>	<p>place value grid using equipment.</p> <p><math>275 + 16 = ?</math></p>  <p><math>275 + 16 = 291</math></p> <p>Note: In this example, a mental method may be more efficient. The numbers for the example calculation have been chosen to allow children to visualise the concept and see how the method relates to place value. Children should be encouraged at every stage to select methods that are accurate and efficient.</p>	<p>Children must understand how the method relates to place value at each stage of the calculation.</p>  <p><math>275 + 16 = 291</math></p>
<p><b>3-digit number + 3-digit number, no exchange</b></p>	<p>Use place value equipment to make a representation of a calculation. This may or may not be structured in a place value grid.</p> <p><i><math>326 + 541</math> is represented as:</i></p>	<p>Represent the place value grid with equipment to model the stages of column addition.</p>	<p>Use a column method to solve efficiently, using known bonds. Children must understand how this relates to place value at every stage of the calculation.</p>






			
<p><b>3-digit number + 3-digit number, exchange required</b></p>	<p>Use place value equipment to enact the exchange required.</p>  <p><i>There are 13 ones. I will exchange 10 ones for 1 ten.</i></p>	<p>Model the stages of column addition using place value equipment on a place value grid.</p> 	<p>Use column addition, ensuring understanding of place value at every stage of the calculation.</p> $\begin{array}{r} \text{H T O} \\ 126 \\ + 217 \\ \hline 343 \end{array}$ $\begin{array}{r} \text{H T O} \\ 126 \\ + 217 \\ \hline 43 \end{array}$ $\begin{array}{r} \text{H T O} \\ 126 \\ + 217 \\ \hline 343 \end{array}$ <p><math>126 + 217 = 343</math> Note: Children should also study examples where exchange is required in more than one column, for example <math>185 + 318 = ?</math></p>
<p><b>Representing addition problems, and selecting appropriate methods</b></p>	<p>Encourage children to use their own drawings and choices of place value equipment to represent problems with one or more steps.</p> <p>These representations will help them to select appropriate methods.</p>	<p>Children understand and create bar models to represent addition problems.</p> <p><math>275 + 99 = ?</math></p>  <p><math>275 + 99 = 374</math></p>	<p>Use representations to support choices of appropriate methods.</p>  <p><i>I will add 100, then subtract 1 to find the solution.</i></p>






			<p><math>128 + 105 + 83 = ?</math> I need to add three numbers.</p> <p><math>128 + 105 = 233</math></p> 									
<p><b>Year 3 Subtraction</b></p>												
<p><b>Subtracting 100s</b></p>	<p>Use known facts and unitising to subtract multiples of 100.</p>  <p><math>5 - 2 = 3</math> <math>500 - 200 = 300</math></p>	<p>Use known facts and unitising to subtract multiples of 100.</p>  <p><math>4 - 2 = 2</math> <math>400 - 200 = 200</math></p>	<p>Understand the link with counting back in 100s.</p>  <p><math>400 - 200 = 200</math></p> <p>Use known facts and unitising as efficient and accurate methods. I know that <math>7 - 4 = 3</math>. Therefore, I know that <math>700 - 400 = 300</math>.</p>									
<p><b>3-digit number - 1s, no exchange</b></p>	<p>Use number bonds to subtract the 1s.</p>  <p><math>214 - 3 = ?</math></p>	<p>Use number bonds to subtract the 1s.</p> <table border="1" data-bbox="943 1114 1249 1294"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>1</td> <td>9</td> </tr> </tbody> </table> <p><math>319 - 4 = ?</math></p>	H	T	O				3	1	9	<p>Understand the link with counting back using a number line.</p> <p>Use known number bonds to calculate mentally.</p> <p><math>476 - 4 = ?</math></p> 
H	T	O										
												
3	1	9										


	 <p> <math>4 - 3 = 1</math>  <math>214 - 3 = 211</math> </p>	<table border="1" data-bbox="943 124 1249 300"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>1</td> <td>9</td> </tr> </tbody> </table> <p> <math>9 - 4 = 5</math>  <math>319 - 4 = 315</math> </p>	H	T	O				3	1	9	<p> <math>6 - 4 = 2</math>  <math>476 - 4 = 472</math> </p>
H	T	O										
												
3	1	9										
<p><b>3-digit number – 1s, exchange or bridging required</b></p>	<p>Understand why an exchange is necessary by exploring why 1 ten must be exchanged.</p> <p>Use place value equipment.</p>	<p>Represent the required exchange on a place value grid.</p> <p><math>151 - 6 = ?</math></p> <table border="1" data-bbox="949 632 1317 938"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	H	T	O							<p>Calculate mentally by using known bonds.</p> <p> <math>151 - 6 = ?</math>  <math>151 - 1 - 5 = 145</math> </p>
H	T	O										
												
												
<p><b>3-digit number – 10s, no exchange</b></p>	<p>Subtract the 10s using known bonds.</p>  <p> <math>381 - 10 = ?</math>  <i>8 tens with 1 removed is 7 tens.</i>  <math>381 - 10 = 371</math> </p>	<p>Subtract the 10s using known bonds.</p> <table border="1" data-bbox="943 1062 1346 1230"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p> <math>8 \text{ tens} - 1 \text{ ten} = 7 \text{ tens}</math>  <math>381 - 10 = 371</math> </p>	H	T	O				<p>Use known bonds to subtract the 10s mentally.</p> <p> <math>372 - 50 = ?</math>  <math>70 - 50 = 20</math>            So, <math>372 - 50 = 322</math> </p>			
H	T	O										
												

<p><b>3-digit number – 10s, exchange or bridging required</b></p>	<p>Use equipment to understand the exchange of 1 hundred for 10 tens.</p> 	<p>Represent the exchange on a place value grid using equipment.</p> <p><math>210 - 20 = ?</math></p> <table border="1" data-bbox="943 296 1355 454"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p><i>I need to exchange 1 hundred for 10 tens, to help subtract 2 tens.</i></p> <table border="1" data-bbox="943 592 1355 750"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p><math>210 - 20 = 190</math></p>	H	T	O				H	T	O				<p>Understand the link with counting back on a number line.</p> <p>Use flexible partitioning to support the calculation.</p> <p><math>235 - 60 = ?</math></p>  <p><math>235 = 100 + 130 + 5</math>  <math>235 - 60 = 100 + 70 + 5</math>  <math>= 175</math></p>						
H	T	O																			
																					
H	T	O																			
																					
<p><b>3-digit number – up to 3-digit number</b></p>	<p>Use place value equipment to explore the effect of splitting a whole into two parts, and understand the link with taking away.</p> 	<p>Represent the calculation on a place value grid.</p> <table border="1" data-bbox="943 940 1303 1054"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table> <table border="1" data-bbox="943 1062 1303 1177"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table> <table border="1" data-bbox="943 1185 1303 1300"> <thead> <tr> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	H	T	O				H	T	O				H	T	O				<p>Use column subtraction to calculate accurately and efficiently.</p> $\begin{array}{r} \text{H T O} \\ 999 \\ - 352 \\ \hline 7 \end{array}$ $\begin{array}{r} \text{H T O} \\ 999 \\ - 352 \\ \hline 47 \end{array}$ $\begin{array}{r} \text{H T O} \\ 999 \\ - 352 \\ \hline 647 \end{array}$
H	T	O																			
																					
H	T	O																			
																					
H	T	O																			
																					
<p><b>3-digit number – up to 3-digit number,</b></p>	<p>Use equipment to enact the exchange of 1 hundred for 10 tens, and 1 ten for 10 ones.</p>	<p><i>Model the required exchange on a place value grid.</i></p>	<p>Use column subtraction to work accurately and efficiently.</p>																		


<p><b>exchange required</b></p>		<p><math>175 - 38 = ?</math>  <i>I need to subtract 8 ones, so I will exchange a ten for 10 ones.</i></p> 	<table style="margin-left: auto; margin-right: auto;"> <tr><td></td><td>H</td><td>T</td><td>O</td></tr> <tr><td></td><td>1</td><td>6</td><td>15</td></tr> <tr><td>-</td><td></td><td>3</td><td>8</td></tr> <tr><td></td><td>1</td><td>3</td><td>7</td></tr> </table> <p><math>175 - 38 = 137</math></p> <p>If the subtraction is a 3-digit number subtract a 2-digit number, children should understand how the recording relates to the place value, and so how to line up the digits correctly.</p> <p>Children should also understand how to exchange in calculations where there is a zero in the 10s column.</p> 		H	T	O		1	6	15	-		3	8		1	3	7
	H	T	O																
	1	6	15																
-		3	8																
	1	3	7																
<p><b>Representing subtraction problems</b></p>		<p>Use bar models to represent subtractions.</p> <p>'Find the difference' is represented as two bars for comparison.</p> <p>Team A <span style="border: 1px solid black; padding: 2px 10px;">454</span></p> <p>Team B <span style="border: 1px solid black; padding: 2px 10px;">128</span> <math>\longleftrightarrow</math> ?</p> <p>Bar models can also be used to show that a part must be taken away from the whole.</p>	<p>Children use alternative representations to check calculations and choose efficient methods.</p> <p>Children use inverse operations to check additions and subtractions. The part-whole model supports understanding.</p> <p><i>I have completed this subtraction.</i>  <math>525 - 270 = 255</math>  <i>I will check using addition.</i></p>  <table style="margin-left: auto; margin-right: auto;"> <tr><td></td><td>H</td><td>T</td><td>O</td></tr> <tr><td></td><td>2</td><td>7</td><td>0</td></tr> <tr><td>+</td><td>2</td><td>5</td><td>5</td></tr> <tr><td></td><td>5</td><td>2</td><td>5</td></tr> </table>		H	T	O		2	7	0	+	2	5	5		5	2	5
	H	T	O																
	2	7	0																
+	2	5	5																
	5	2	5																

Year 3 Multiplication			
<p><b>Understanding equal grouping and repeated addition</b></p>	<p>Children continue to build understanding of equal groups and the relationship with repeated addition. They recognise both examples and non-examples using objects.</p>  <p>Children recognise that arrays can be used to model commutative multiplications.</p> <p><i>I can see 3 groups of 8. I can see 8 groups of 3.</i></p>	<p>Children recognise that arrays demonstrate commutativity.</p>  <p><i>This is 3 groups of 4. This is 4 groups of 3.</i></p>	<p>Children understand the link between repeated addition and multiplication.</p>  <p><i>8 groups of 3 is 24.</i></p> <p><math>3 + 3 + 3 + 3 + 3 + 3 + 3 + 3 = 24</math>  <math>8 \times 3 = 24</math></p> <p>A bar model may represent multiplications as equal groups.</p>  <p><math>6 \times 4 = 24</math></p>
<p><b>Using commutativity to support understanding of the times-tables</b></p>	<p>Understand how to use times-tables facts flexibly.</p> 	<p>Understand how times-table facts relate to commutativity.</p>  <p><math>6 \times 4 = 24</math>  <math>4 \times 6 = 24</math></p>	<p>Understand how times-table facts relate to commutativity.</p> <p><i>I need to work out 4 groups of 7.</i></p> <p><i>I know that <math>7 \times 4 = 28</math></i></p> <p><i>so, I know that</i></p> <p><i>4 groups of 7 = 28 and 7 groups of 4 = 28.</i></p>

	 <p>There are 6 groups of 4 pens. There are 4 groups of 6 bread rolls.</p> <p>I can use <math>6 \times 4 = 24</math> to work out both totals.</p>		
<p><b>Understanding and using x3, x2, x4 and x8 tables.</b></p>	<p>Children learn the times-tables as 'groups of', but apply their knowledge of commutativity.</p>  <p>I can use the x3 table to work out how many keys. I can also use the x3 table to work out how many batteries.</p>	<p>Children understand how the x2, x4 and x8 tables are related through repeated doubling.</p>  <p><math>3 \times 2 = 6</math>      <math>3 \times 4 = 12</math>      <math>3 \times 8 = 24</math></p>	<p>Children understand the relationship between related multiplication and division facts in known times-tables.</p>  <p><math>2 \times 5 = 10</math> <math>5 \times 2 = 10</math> <math>10 \div 5 = 2</math> <math>10 \div 2 = 5</math></p>
<p><b>Using known facts to multiply 10s, for example <math>3 \times 40</math></b></p>	<p>Explore the relationship between known times-tables and multiples of 10 using place value equipment.</p> <p>Make 4 groups of 3 ones.</p>  <p>Make 4 groups of 3 tens.</p>	<p>Understand how unitising 10s supports multiplying by multiples of 10.</p> 	<p>Understand how to use known times-tables to multiply multiples of 10.</p> 




What is the same?  
What is different?



4 groups of 2 ones is 8 ones.  
4 groups of 2 tens is 8 tens.

$$4 \times 2 = 8$$

$$4 \times 20 = 80$$



$$4 \times 2 = 8$$

$$4 \times 20 = 80$$

**Multiplying a 2-digit number by a 1-digit number**

Understand how to link partitioning a 2-digit number with multiplying.

Each person has 23 flowers.

Each person has 2 tens and 3 ones.



There are 3 groups of 2 tens.

There are 3 groups of 3 ones.

Use place value equipment to model the multiplication context.

	T	O

Use place value to support how partitioning is linked with multiplying by a 2-digit number.

$$3 \times 24 = ?$$

T	O

$$3 \times 4 = 12$$

T	O

$$3 \times 20 = 60$$

$$60 + 12 = 72$$

Use addition to complete multiplications of 2-digit numbers by a 1-digit number.






$$4 \times 13 = ?$$





$$4 \times 3 = 12$$







$$4 \times 10 = 40$$




$$12 + 40 = 52$$




$$4 \times 13 = 52$$


	<p>There are 3 groups of 3 ones.</p> <p>There are 3 groups of 2 tens.</p>	$3 \times 24 = 72$	
<p><b>Multiplying a 2-digit number by a 1-digit number, expanded column method</b></p>	<p>Use place value equipment to model how 10 ones are exchanged for a 10 in some multiplications.</p> <p><math>3 \times 24 = ?</math></p> <p><math>3 \times 20 = 60</math>  <math>3 \times 4 = 12</math></p>  <p><math>60 + 12 = 72</math></p> <p><math>3 \times 24 = 60 + 12</math>  <math>3 \times 24 = 70 + 2</math>  <math>3 \times 24 = 72</math></p>	<p>Understand that multiplications may require an exchange of 1s for 10s, and also 10s for 100s.</p> <p><math>4 \times 23 = ?</math></p>  <p><math>4 \times 23 = 92</math></p>  <p><math>5 \times 23 = ?</math></p>	<p>Children may write calculations in expanded column form, but must understand the link with place value and exchange.</p> <p>Children are encouraged to write the expanded parts of the calculation separately.</p>  <p><math>5 \times 28 = ?</math></p> 

		$5 \times 3 = 15$ $5 \times 20 = 100$ $5 \times 23 = 115$	
<b>Year 3 Division</b>			
<b>Using times-tables knowledge to divide</b>	<p>Use knowledge of known times-tables to calculate divisions.</p>  <p>24 divided into groups of 8. There are 3 groups of 8.</p>	<p>Use knowledge of known times-tables to calculate divisions.</p>  <p><math>48 \div 4 = 12</math></p> <p>48 divided into groups of 4. There are 12 groups.</p> <p><math>4 \times 12 = 48</math>  <math>48 \div 4 = 12</math></p>	<p>Use knowledge of known times-tables to calculate divisions.</p> <p><i>I need to work out 30 shared between 5.</i></p> <p><i>I know that <math>6 \times 5 = 30</math> so I know that <math>30 \div 5 = 6</math>.</i></p> <p>A bar model may represent the relationship between sharing and grouping.</p>  <p><math>24 \div 4 = 6</math>  <math>24 \div 6 = 4</math></p> <p>Children understand how division is related to both repeated subtraction and repeated addition.</p>  <p><math>24 \div 8 = 3</math></p>  <p><math>32 \div 8 = 4</math></p>

<p><b>Understanding remainders</b></p>	<p>Use equipment to understand that a remainder occurs when a set of objects cannot be divided equally any further.</p>  <p><i>There are 13 sticks in total. There are 3 groups of 4, with 1 remainder.</i></p>	<p>Use images to explain remainders.</p>  <p><math>22 \div 5 = 4 \text{ remainder } 2</math></p>	<p>Understand that the remainder is what cannot be shared equally from a set.</p> <p><math>22 \div 5 = ?</math></p> <p><math>3 \times 5 = 15</math>  <math>4 \times 5 = 20</math>  <math>5 \times 5 = 25 \dots \text{this is larger than } 22</math>          So, <math>22 \div 5 = 4 \text{ remainder } 2</math></p>
<p><b>Using known facts to divide multiples of 10</b></p>	<p>Use place value equipment to understand how to divide by unitising.</p> <p><i>Make 6 ones divided by 3.</i></p>  <p><i>Now make 6 tens divided by 3.</i></p>  <p><i>What is the same? What is different?</i></p>	<p>Divide multiples of 10 by unitising.</p>  <p><i>12 tens shared into 3 equal groups. 4 tens in each group.</i></p>	<p>Divide multiples of 10 by a single digit using known times-tables.</p> <p><math>180 \div 3 = ?</math></p> <p><i>180 is 18 tens. 18 divided by 3 is 6. 18 tens divided by 3 is 6 tens.</i></p> <p><math>18 \div 3 = 6</math>  <math>180 \div 3 = 60</math></p>
<p><b>2-digit number divided by 1-digit number, no remainders</b></p>	<p>Children explore dividing 2-digit numbers by using place value equipment.</p>  <p><math>48 \div 2 = ?</math></p> <p><i>First divide the 10s.</i></p>	<p>Children explore which partitions support particular divisions.</p>  <p><i>I need to partition 42 differently to divide by 3.</i></p>	<p>Children partition a number into 10s and 1s to divide where appropriate.</p>  <p><math>60 \div 2 = 30</math>  <math>8 \div 2 = 4</math>  <math>30 + 4 = 34</math>  <math>68 \div 2 = 34</math></p> <p>Children partition flexibly to divide where appropriate.</p>




	  <p>Then divide the 1s.</p>  	 $42 = 30 + 12$ $42 \div 3 = 14$	$42 \div 3 = ?$ $42 = 40 + 2$ <i>I need to partition 42 differently to divide by 3.</i> $42 = 30 + 12$ $30 \div 3 = 10$ $12 \div 3 = 4$ $10 + 4 = 14$ $42 \div 3 = 14$
<p><b>2-digit number divided by 1-digit number, with remainders</b></p>	<p>Use place value equipment to understand the concept of remainder.</p> <p><i>Make 29 from place value equipment. Share it into 2 equal groups.</i></p>  <p><i>There are two groups of 14 and 1 remainder.</i></p>	<p>Use place value equipment to understand the concept of remainder in division.</p> $29 \div 2 = ?$  $29 \div 2 = 14 \text{ remainder } 1$	<p>Partition to divide, understanding the remainder in context.</p> <p><i>67 children try to make 5 equal lines.</i></p> $67 = 50 + 17$ $50 \div 5 = 10$ $17 \div 5 = 3 \text{ remainder } 2$ $67 \div 5 = 13 \text{ remainder } 2$ <p><i>There are 13 children in each line and 2 children left out.</i></p>
<b>Year 4</b>			
	<b>Concrete</b>	<b>Pictorial</b>	<b>Abstract</b>
<p><b>Year 4 Addition</b></p>			
<p><b>Understanding numbers to 10,000</b></p>	<p>Use place value equipment to understand the place value of 4-digit numbers.</p>	<p>Represent numbers using place value counters once children understand the relationship between 1,000s and 100s.</p>	<p>Understand partitioning of 4-digit numbers, including numbers with digits of 0.</p>

	 <p>4 thousands equal 4,000. 1 thousand is 10 hundreds.</p>	<p><math>2,000 + 500 + 40 + 2 = 2,542</math></p>	 <p><math>5,000 + 60 + 8 = 5,068</math></p> <p>Understand and read 4-digit numbers on a number line.</p> 												
<p><b>Choosing mental methods where appropriate</b></p>	<p>Use unitising and known facts to support mental calculations.</p> <p><i>Make 1,405 from place value equipment.</i></p> <p><i>Add 2,000.</i></p> <p><i>Now add the 1,000s.</i> <i>1 thousand + 2 thousands = 3 thousands</i></p> <p><math>1,405 + 2,000 = 3,405</math></p>	<p>Use unitising and known facts to support mental calculations.</p> <table border="1" data-bbox="940 678 1496 837"> <thead> <tr> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table> <p><i>I can add the 100s mentally.</i></p> <p><math>200 + 300 = 500</math></p> <p>So, <math>4,256 + 300 = 4,556</math></p>	Th	H	T	O									<p>Use unitising and known facts to support mental calculations.</p> <p><math>4,256 + 300 = ?</math></p> <p><math>2 + 3 = 5</math>      <math>200 + 300 = 500</math></p> <p><math>4,256 + 300 = 4,556</math></p>
Th	H	T	O												
															
															
<p><b>Column addition with exchange</b></p>	<p>Use place value equipment on a place value grid to organise thinking.</p> <p>Ensure that children understand how the columns relate to place value and what to do if the numbers are not all 4-digit numbers.</p> <p><i>Use equipment to show <math>1,905 + 775</math>.</i></p>	<p>Use place value equipment to model required exchanges.</p>	<p>Use a column method to add, including exchanges.</p>												







Why have only three columns been used for the second row? Why is the Thousands box empty?

Which columns will total 10 or more?



Include examples that exchange in more than one column.




Include examples that exchange in more than one column.


**Representing additions and checking strategies**






Bar models may be used to represent additions in problem contexts, and to justify mental methods where appropriate.

Use rounding and estimating on a number line to check the reasonableness of an addition.
















$912 + 6,149 = ?$



		<table border="1" style="margin-left: auto; margin-right: auto;"> <tr> <td colspan="2" style="text-align: center;">1,373</td> </tr> <tr> <td style="text-align: center;">799</td> <td style="text-align: center;">574</td> </tr> </table> <div style="margin-left: 100px;"> <table style="border-collapse: collapse;"> <tr> <td style="padding: 0 5px;">Th</td> <td style="padding: 0 5px;">H</td> <td style="padding: 0 5px;">T</td> <td style="padding: 0 5px;">O</td> </tr> <tr> <td style="text-align: center;">7</td> <td style="text-align: center;">9</td> <td style="text-align: center;">9</td> <td></td> </tr> <tr> <td style="text-align: center;">5</td> <td style="text-align: center;">7</td> <td style="text-align: center;">4</td> <td></td> </tr> <tr> <td style="text-align: center;">1</td> <td style="text-align: center;">3</td> <td style="text-align: center;">7</td> <td style="text-align: center;">3</td> </tr> <tr> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> <td style="text-align: center;"> </td> <td></td> </tr> </table> </div> <p style="margin-left: 100px;"><i>I chose to work out <math>574 + 800</math>, then subtract 1.</i></p> <table border="1" style="margin-left: auto; margin-right: auto; margin-top: 10px;"> <tr> <td colspan="2" style="text-align: center;">6,000</td> </tr> <tr> <td style="text-align: center;">2,999</td> <td style="text-align: center;">3,001</td> </tr> </table> <p style="margin-left: 100px;"><i>This is equivalent to <math>3,000 + 3,000</math>.</i></p>	1,373		799	574	Th	H	T	O	7	9	9		5	7	4		1	3	7	3					6,000		2,999	3,001	<p><i>I used rounding to work out that the answer should be approximately <math>1,000 + 6,000 = 7,000</math>.</i></p>
1,373																															
799	574																														
Th	H	T	O																												
7	9	9																													
5	7	4																													
1	3	7	3																												
6,000																															
2,999	3,001																														
<p><b>Year 4 Subtraction</b></p>																															
<p><b>Choosing mental methods where appropriate</b></p>	<p>Use place value equipment to justify mental methods.</p>  <p><i>What number will be left if we take away 300?</i></p>	<p>Use place value grids to support mental methods where appropriate.</p> <table border="1" style="margin-left: auto; margin-right: auto; margin-bottom: 10px;"> <tr> <td style="text-align: center;">Th</td> <td style="text-align: center;">H</td> <td style="text-align: center;">T</td> <td style="text-align: center;">O</td> </tr> <tr> <td style="text-align: center;">●●●●●</td> <td style="text-align: center;">●●●●●</td> <td style="text-align: center;">●●●●●</td> <td style="text-align: center;">●●●●●</td> </tr> <tr> <td style="text-align: center;">●●●●●</td> <td style="text-align: center;">●●●●●</td> <td style="text-align: center;">●●●●●</td> <td style="text-align: center;">●●●●●</td> </tr> <tr> <td style="text-align: center;">●●●●●</td> <td style="text-align: center;">●●●●●</td> <td style="text-align: center;">●●●●●</td> <td style="text-align: center;">●●●●●</td> </tr> </table> <p><math>7,646 - 40 = 7,606</math></p>	Th	H	T	O	●●●●●	●●●●●	●●●●●	●●●●●	●●●●●	●●●●●	●●●●●	●●●●●	●●●●●	●●●●●	●●●●●	●●●●●	<p>Use knowledge of place value and unitising to subtract mentally where appropriate.</p> <p><math>3,501 - 2,000</math></p> <p><i>3 thousands – 2 thousands = 1 thousand</i></p> <p><math>3,501 - 2,000 = 1,501</math></p>												
Th	H	T	O																												
●●●●●	●●●●●	●●●●●	●●●●●																												
●●●●●	●●●●●	●●●●●	●●●●●																												
●●●●●	●●●●●	●●●●●	●●●●●																												
<p><b>Column subtraction with exchange</b></p>	<p>Understand why exchange of a 1,000 for 100s, a 100 for 10s, or a 10 for 1s may be necessary.</p>	<p>Represent place value equipment on a place value grid to subtract, including exchanges where needed.</p>	<p>Use column subtraction, with understanding of the place value of any exchange required.</p>																												






			
<p><b>Column subtraction with exchange across more than one column</b></p>	<p>Understand why two exchanges may be necessary.</p> <p><math>2,502 - 243 = ?</math></p>  <p><i>I need to exchange a 10 for some 1s, but there are not any 10s here.</i></p>	<p>Make exchanges across more than one column where there is a zero as a place holder.</p> <p><math>2,502 - 243 = ?</math></p> 	<p>Make exchanges across more than one column where there is a zero as a place holder.</p> <p><math>2,502 - 243 = ?</math></p>









<p><b>and 100</b></p>	<p>1, 10 and 100.</p>  <p>3 groups of 4 ones is 12 ones. 3 groups of 4 tens is 12 tens. 3 groups of 4 hundreds is 12 hundreds.</p>	<p>1, 10 and 100.</p>  <p><math>3 \times 4 = 12</math> <math>3 \times 40 = 120</math> <math>3 \times 400 = 1,200</math></p>	<p>mentally.</p> <p><math>4 \times 7 = 28</math></p> <p><math>4 \times 70 = 280</math> <math>40 \times 7 = 280</math></p> <p><math>4 \times 700 = 2,800</math> <math>400 \times 7 = 2,800</math></p>
<p><b>Understanding times-tables up to <math>12 \times 12</math></b></p>	<p>Understand the special cases of multiplying by 1 and 0.</p>  <p><math>5 \times 1 = 5</math>                      <math>5 \times 0 = 0</math></p>	<p>Represent the relationship between the <math>\times 9</math> table and the <math>\times 10</math> table.</p>  <p>Represent the <math>\times 11</math> table and <math>\times 12</math> tables in relation to the <math>\times 10</math> table.</p>  <p><math>2 \times 11 = 20 + 2</math> <math>3 \times 11 = 30 + 3</math> <math>4 \times 11 = 40 + 4</math></p>  <p><math>4 \times 12 = 40 + 8</math></p>	<p>Understand how times-tables relate to counting patterns.</p> <p>Understand links between the <math>\times 3</math> table, <math>\times 6</math> table and <math>\times 9</math> table <i>5 x 6 is double 5 x 3</i></p> <p><math>\times 5</math> table and <math>\times 6</math> table <i>I know that <math>7 \times 5 = 35</math> so I know that <math>7 \times 6 = 35 + 7</math>.</i></p> <p><math>\times 5</math> table and <math>\times 7</math> table <math>3 \times 7 = 3 \times 5 + 3 \times 2</math></p>  <p><math>\times 9</math> table and <math>\times 10</math> table <math>6 \times 10 = 60</math> <math>6 \times 9 = 60 - 6</math></p>
<p><b>Understanding and using partitioning in multiplication</b></p>	<p>Make multiplications by partitioning. <i>4 x 12 is 4 groups of 10 and 4 groups of 2.</i></p>	<p>Understand how multiplication and partitioning are related through addition.</p>	<p>Use partitioning to multiply 2-digit numbers by a single digit.</p> <p><math>18 \times 6 = ?</math></p>

	 <p><math>4 \times 12 = 40 + 8</math></p>	 <p> <math>4 \times 3 = 12</math>    <math>4 \times 5 = 20</math>    <math>4 \times 8 = 32</math>  <math>4 \times 3 = 12</math>  <math>4 \times 5 = 20</math>  <math>12 + 20 = 32</math>  <math>4 \times 8 = 32</math> </p>	 <p> <math>18 \times 6 = 10 \times 6 + 8 \times 6</math>  <math>= 60 + 48</math>  <math>= 108</math> </p> <p> <math>18 \times 6 = 10 \times 6 + 8 \times 6</math>  <math>= 60 + 48</math>  <math>= 108</math> </p>
<p><b>Column multiplication for 2- and 3-digit numbers multiplied by a single digit</b></p>	<p>Use place value equipment to make multiplications.</p> <p><i>Make <math>4 \times 136</math> using equipment.</i></p>  <p><i>I can work out how many 1s, 10s and 100s.</i></p> <p> <i>There are <math>4 \times 6</math> ones...      24 ones</i>  <i>There are <math>4 \times 3</math> tens ...      12 tens</i>  <i>There are <math>4 \times 1</math> hundreds ... 4 hundreds</i> </p> <p><math>24 + 120 + 400 = 544</math></p>	<p>Use place value equipment alongside a column method for multiplication of up to 3-digit numbers by a single digit.</p>  <p> <math display="block">\begin{array}{r} 312 \\ \times \quad 3 \\ \hline 936 \end{array}</math> </p>	<p>Use the formal column method for up to 3-digit numbers multiplied by a single digit.</p>  <p>Understand how the expanded column method is related to the formal column method and understand how any exchanges are related to place value at each stage of the calculation.</p> 
<p><b>Multiplying more than two numbers</b></p>	<p>Represent situations by multiplying three numbers together.</p>	<p>Understand that commutativity can be used to multiply in different orders.</p>  <p><math>2 \times 6 \times 10 = 120</math></p>	<p>Use knowledge of factors to simplify some multiplications.</p> <p><math>24 \times 5 = 12 \times 2 \times 5</math></p>

	 <p>Each sheet has <math>2 \times 5</math> stickers. There are 3 sheets.</p> <p>There are <math>5 \times 2 \times 3</math> stickers in total.</p> $\begin{array}{r} 5 \times 2 \times 3 = 30 \\ \underbrace{\phantom{5 \times 2 \times 3}} \\ 10 \times 3 = 30 \end{array}$	$12 \times 10 = 120$ $10 \times 6 \times 2 = 120$ $60 \times 2 = 120$	$12 \times 2 \times 5 =$ $\underbrace{\phantom{12 \times 2 \times 5}} \\ 12 \times 10 = 120$ <p>So, <math>24 \times 5 = 120</math></p>
<p><b>Year 4 Division</b></p>			
<p><b>Understanding the relationship between multiplication and division, including times-tables</b></p>	<p>Use objects to explore families of multiplication and division facts.</p>  <p><math>4 \times 6 = 24</math> 24 is 6 groups of 4. 24 is 4 groups of 6.</p> <p>24 divided by 6 is 4. 24 divided by 4 is 6.</p>	<p>Represent divisions using an array.</p>  <p><math>28 \div 7 = 4</math></p>	<p>Understand families of related multiplication and division facts.</p> <p><i>I know that <math>5 \times 7 = 35</math></i></p> <p><i>so I know all these facts:</i></p> <p><math>5 \times 7 = 35</math>  <math>7 \times 5 = 35</math>  <math>35 = 5 \times 7</math>  <math>35 = 7 \times 5</math>  <math>35 \div 5 = 7</math>  <math>35 \div 7 = 5</math>  <math>7 = 35 \div 5</math>  <math>5 = 35 \div 7</math></p>
<p><b>Dividing multiples of 10 and 100 by a single digit</b></p>	<p>Use place value equipment to understand how to use unitising to divide.</p>	<p>Represent divisions using place value equipment.</p>	<p>Use known facts to divide 10s and 100s by a single digit.</p> <p><math>15 \div 3 = 5</math></p> <p><math>150 \div 3 = 50</math></p>

	 <p>8 ones divided into 2 equal groups 4 ones in each group</p> <p>8 tens divided into 2 equal groups 4 tens in each group</p> <p>8 hundreds divided into 2 equal groups 4 hundreds in each group</p>	$9 \div 3 = \square$  $90 \div 3 = \square$  $900 \div 3 = \square$  $9 \div 3 = 3$ <p>9 tens divided by 3 is 3 tens. 9 hundreds divided by 3 is 3 hundreds.</p>	$1500 \div 3 = 500$
<p><b>Dividing 2-digit and 3-digit numbers by a single digit by partitioning into 100s, 10s and 1s</b></p>	<p>Partition into 10s and 1s to divide where appropriate.</p> $39 \div 3 = ?$  $3 \times 10 = 30$ $3 \times 3 = 9$ $39 = 30 + 9$ $30 \div 3 = 10$ $9 \div 3 = 3$ $39 \div 3 = 13$	<p>Partition into 100s, 10s and 1s using Base 10 equipment to divide where appropriate.</p> $39 \div 3 = ?$  3 groups of 1 ten      3 groups of 3 ones $39 = 30 + 9$ $30 \div 3 = 10$ $9 \div 3 = 3$ $39 \div 3 = 13$	<p>Partition into 100s, 10s and 1s using a part-whole model to divide where appropriate.</p> $142 \div 2 = ?$  $100 \div 2 = \square$ $40 \div 2 = \square$ $6 \div 2 = \square$ $100 \div 2 = 50$ $40 \div 2 = 20$ $6 \div 2 = 3$ $50 + 20 + 3 = 73$ $142 \div 2 = 73$
<p><b>Dividing 2-digit and 3-digit numbers by a single digit, using flexible partitioning</b></p>	<p>Use place value equipment to explore why different partitions are needed.</p> $42 \div 3 = ?$ <p><i>I will split it into 30 and 12, so that I can divide by 3 more easily.</i></p>	<p>Represent how to partition flexibly where needed.</p> $84 \div 7 = ?$ <p><i>I will partition into 70 and 14 because I am dividing by 7.</i></p>	<p>Make decisions about appropriate partitioning based on the division required.</p>  $72 \div 2 = 36$ $72 \div 3 = 24$ $72 \div 4 = 18$ $72 \div 6 = 12$

		 <p><math>84 \div 7 = 12</math></p>	<p>Understand that different partitions can be used to complete the same division.</p> 
<p><b>Understanding remainders</b></p>	<p>Use place value equipment to find remainders.</p> <p><i>85 shared into 4 equal groups</i></p> <p><i>There are 24, and 1 that cannot be shared.</i></p> 	<p>Represent the remainder as the part that cannot be shared equally.</p>  <p><math>72 \div 5 = 14 \text{ remainder } 2</math></p>	<p>Understand how partitioning can reveal remainders of divisions.</p>  <p><math>80 \div 4 = 20</math>  <math>12 \div 4 = 3</math></p> <p><math>95 \div 4 = 23 \text{ remainder } 3</math></p>

**KEY STAGE 2**





In upper Key Stage 2, children build on secure foundations in calculation, and develop fluency, accuracy and flexibility in their approach to the four operations. They work with whole numbers and adapt their skills to work with decimals, and they continue to develop their ability to select appropriate, accurate and efficient operations.


**Key language:** decimal, column methods, exchange, partition, mental method, ten thousand, hundred thousand, million, factor, multiple, prime number, square number, cube number

**Addition and subtraction:** Children build on their column methods to add and subtract numbers with up to seven digits, and they adapt the methods to calculate efficiently and effectively with decimals, ensuring understanding of place value at every stage.  
Children compare and contrast methods, and they select mental methods or jottings where appropriate and where these are more likely to be efficient or accurate when compared with formal column methods.  
Bar models are used to represent the calculations required to solve problems and may indicate where efficient methods can be chosen.



**Multiplication and division:** Building on their understanding, children develop methods to multiply up to 4-digit numbers by single-digit and 2-digit numbers.  
Children develop column methods with an understanding of place value, and they continue to use the key skill of unitising to multiply and divide by 10, 100 and 1,000.  
Written division methods are introduced and adapted for division by single-digit and 2-digit numbers and are understood alongside the area model and place value. In Year 6, children develop a secure understanding of how division is related to fractions.  
Multiplication and division of decimals are also introduced and refined in Year 6.






**Fractions:** Children find fractions of amounts, multiply a fraction by a whole number and by another fraction, divide a fraction by a whole number, and add and subtract fractions with different denominators. Children become more confident working with improper fractions and mixed numbers and can calculate with them.  
Understanding of decimals with up to 3 decimal places is built through place value and as fractions, and children calculate with decimals in the context of measure as well as in pure arithmetic.  
Children develop an understanding of percentages in relation to hundredths, and they understand how to work with common percentages: 50%, 25%, 10% and 1%.


Year 5			
	Concrete	Pictorial	Abstract
<b>Year 5 Addition</b>			
<b>Column addition with whole numbers</b>	<p>Use place value equipment to represent additions.</p> <p>Add a row of counters onto the place value grid to show <math>15,735 + 4,012</math>.</p> 	<p>Represent additions, using place value equipment on a place value grid alongside written methods.</p>  <p>I need to exchange 10 tens for a 100.</p> $\begin{array}{r} \text{TTh Th H T O} \\ 2 \ 0 \ 1 \ 5 \ 3 \\ + 1 \ 9 \ 1 \ 7 \ 5 \\ \hline 3 \ 9 \ 3 \ 2 \ 8 \end{array}$	<p>Use column addition, including exchanges.</p> $\begin{array}{r} \text{TTh Th H T O} \\ 1 \ 9 \ 1 \ 7 \ 5 \\ + 1 \ 8 \ 4 \ 1 \ 7 \\ \hline 3 \ 7 \ 5 \ 9 \ 2 \end{array}$
<b>Representing additions</b>		<p>Bar models represent addition of two or more numbers in the context of problem solving.</p>   $\begin{array}{r} \text{Th H T O} \\ 2 \ 6 \ 0 \ 0 \\ + 1 \ 4 \ 5 \ 0 \\ \hline 4 \ 0 \ 5 \ 0 \end{array} \qquad \begin{array}{r} \text{Th H T O} \\ 2 \ 6 \ 0 \ 0 \\ + 4 \ 0 \ 5 \ 0 \\ \hline 6 \ 6 \ 5 \ 0 \end{array}$	<p>Use approximation to check whether answers are reasonable.</p> $\begin{array}{r} \text{TTh Th H T O} \\ 2 \ 3 \ 4 \ 0 \ 5 \\ + \quad 7 \ 8 \ 9 \ 2 \\ \hline 2 \ 0 \ 2 \ 9 \ 7 \end{array} \qquad \begin{array}{r} \text{TTh Th H T O} \\ 2 \ 3 \ 4 \ 0 \ 5 \\ + \quad 7 \ 8 \ 9 \ 2 \\ \hline 3 \ 1 \ 2 \ 9 \ 7 \end{array}$ <p>I will use <math>23,000 + 8,000</math> to check.</p>
<b>Adding tenths</b>	<p>Link measure with addition of decimals.</p> <p>Two lengths of fencing are 0.6 m and 0.2 m.</p> <p>How long are they when added together?</p>	<p>Use a bar model with a number line to add tenths.</p>	<p>Understand the link with adding fractions.</p> $\frac{6}{10} + \frac{2}{10} = \frac{8}{10}$

		 <p><math>0.6 + 0.2 = 0.8</math> 6 tenths + 2 tenths = 8 tenths</p>	<p>6 tenths + 2 tenths = 8 tenths <math>0.6 + 0.2 = 0.8</math></p>																																																																													
<p><b>Adding decimals using column addition</b></p>	<p>Use place value equipment to represent additions.</p> <p>Show <math>0.23 + 0.45</math> using place value counters.</p>	<p>Use place value equipment on a place value grid to represent additions.</p> <p>Represent exchange where necessary.</p> <table border="1" data-bbox="943 608 1352 735"> <thead> <tr> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td>2 3</td> <td>4 5</td> </tr> <tr> <td></td> <td></td> <td>2 3</td> <td>4 5</td> </tr> <tr> <td></td> <td></td> <td>2 3</td> <td>4 5</td> </tr> </tbody> </table> <p><math>0.23 + 0.45 = 0.68</math></p> <p>Include examples where the numbers of decimal places are different.</p> <table border="1" data-bbox="943 903 1352 1015"> <thead> <tr> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> </tr> </thead> <tbody> <tr> <td>5</td> <td></td> <td>0 0</td> <td></td> </tr> <tr> <td>1</td> <td></td> <td>2 5</td> <td></td> </tr> <tr> <td>6</td> <td></td> <td>2 5</td> <td></td> </tr> </tbody> </table> <p><math>5.00 + 1.25 = 6.25</math></p>	O	•	Tth	Hth			2 3	4 5			2 3	4 5			2 3	4 5	O	•	Tth	Hth	5		0 0		1		2 5		6		2 5		<p>Add using a column method, ensuring that children understand the link with place value.</p> <table border="1" data-bbox="1543 568 1688 687"> <thead> <tr> <th>O</th> <th>Tth</th> <th>Hth</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>2</td> <td>3</td> </tr> <tr> <td>+</td> <td>0</td> <td>4 5</td> </tr> <tr> <td colspan="3"><hr/></td> </tr> <tr> <td>0</td> <td>6</td> <td>8</td> </tr> </tbody> </table> <p>Include exchange where required, alongside an understanding of place value.</p> <table border="1" data-bbox="1543 791 1688 911"> <thead> <tr> <th>O</th> <th>Tth</th> <th>Hth</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>9</td> <td>2</td> </tr> <tr> <td>+</td> <td>0</td> <td>3 3</td> </tr> <tr> <td colspan="3"><hr/></td> </tr> <tr> <td>1</td> <td>2</td> <td>5</td> </tr> </tbody> </table> <p>Include additions where the numbers of decimal places are different.</p> <p><math>3.4 + 0.65 = ?</math></p> <table border="1" data-bbox="1543 1094 1688 1198"> <thead> <tr> <th>O</th> <th>Tth</th> <th>Hth</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>4</td> <td>0</td> </tr> <tr> <td>+</td> <td>0</td> <td>6 5</td> </tr> <tr> <td colspan="3"><hr/></td> </tr> <tr> <td></td> <td></td> <td></td> </tr> </tbody> </table>	O	Tth	Hth	0	2	3	+	0	4 5	<hr/>			0	6	8	O	Tth	Hth	0	9	2	+	0	3 3	<hr/>			1	2	5	O	Tth	Hth	3	4	0	+	0	6 5	<hr/>					
O	•	Tth	Hth																																																																													
		2 3	4 5																																																																													
		2 3	4 5																																																																													
		2 3	4 5																																																																													
O	•	Tth	Hth																																																																													
5		0 0																																																																														
1		2 5																																																																														
6		2 5																																																																														
O	Tth	Hth																																																																														
0	2	3																																																																														
+	0	4 5																																																																														
<hr/>																																																																																
0	6	8																																																																														
O	Tth	Hth																																																																														
0	9	2																																																																														
+	0	3 3																																																																														
<hr/>																																																																																
1	2	5																																																																														
O	Tth	Hth																																																																														
3	4	0																																																																														
+	0	6 5																																																																														
<hr/>																																																																																
<p><b>Year 5 Subtraction</b></p>																																																																																
<p><b>Column subtraction with whole numbers</b></p>	<p>Use place value equipment to understand where exchanges are required.</p> <p><math>2,250 - 1,070</math></p>	<p>Represent the stages of the calculation using place value equipment on a grid alongside the calculation, including exchanges where required.</p>	<p>Use column subtraction methods with exchange where required.</p>																																																																													

		<p><math>15,735 - 2,582 = 13,153</math></p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> <tr> <td></td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> <tr> <td></td> <td></td> <td>●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> </tbody> </table> <p>Now subtract the 10s. Exchange 1 hundred for 10 tens.</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> <tr> <td></td> <td>●●●●●</td> <td>●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> <tr> <td></td> <td></td> <td></td> <td>●●●●●</td> <td>●●●●●</td> </tr> </tbody> </table> <p>Subtract the 100s, 1,000s and 10,000s.</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> <tr> <td></td> <td>●●</td> <td>●●</td> <td>●●●●●</td> <td>●●●●●</td> </tr> <tr> <td></td> <td></td> <td></td> <td>●●●●●</td> <td>●●●●●</td> </tr> </tbody> </table>	TTh	Th	H	T	O	●	●●●●●	●●●●●	●●●●●	●●●●●		●●●●●	●●●●●	●●●●●	●●●●●			●●	●●●●●	●●●●●	TTh	Th	H	T	O	●	●●●●●	●●●●●	●●●●●	●●●●●		●●●●●	●●	●●●●●	●●●●●				●●●●●	●●●●●	TTh	Th	H	T	O	●	●●●●●	●●●●●	●●●●●	●●●●●		●●	●●	●●●●●	●●●●●				●●●●●	●●●●●	<table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td><del>5</del></td> <td><del>1</del></td> <td><del>7</del></td> <td><del>3</del></td> <td><del>5</del></td> </tr> <tr> <td>-</td> <td>1</td> <td>8</td> <td>5</td> <td>3</td> </tr> <tr> <td colspan="5"><hr/></td> </tr> <tr> <td>4</td> <td>3</td> <td>5</td> <td>6</td> <td>3</td> </tr> </tbody> </table> <p><math>62,097 - 18,534 = 43,563</math></p>	TTh	Th	H	T	O	<del>5</del>	<del>1</del>	<del>7</del>	<del>3</del>	<del>5</del>	-	1	8	5	3	<hr/>					4	3	5	6	3
TTh	Th	H	T	O																																																																																				
●	●●●●●	●●●●●	●●●●●	●●●●●																																																																																				
	●●●●●	●●●●●	●●●●●	●●●●●																																																																																				
		●●	●●●●●	●●●●●																																																																																				
TTh	Th	H	T	O																																																																																				
●	●●●●●	●●●●●	●●●●●	●●●●●																																																																																				
	●●●●●	●●	●●●●●	●●●●●																																																																																				
			●●●●●	●●●●●																																																																																				
TTh	Th	H	T	O																																																																																				
●	●●●●●	●●●●●	●●●●●	●●●●●																																																																																				
	●●	●●	●●●●●	●●●●●																																																																																				
			●●●●●	●●●●●																																																																																				
TTh	Th	H	T	O																																																																																				
<del>5</del>	<del>1</del>	<del>7</del>	<del>3</del>	<del>5</del>																																																																																				
-	1	8	5	3																																																																																				
<hr/>																																																																																								
4	3	5	6	3																																																																																				
<p><b>Checking strategies and representing subtractions</b></p>		<p>Bar models represent subtractions in problem contexts, including 'find the difference'.</p> <p>Athletics Stadium <span style="border: 1px solid black; padding: 2px 20px;">75,450</span></p> <p>Hockey Centre <span style="border: 1px solid black; padding: 2px 20px;">← 42,300 →</span></p> <p>Velodrome <span style="border: 1px solid black; padding: 2px 20px;">15,735 ← ? →</span></p>	<p>Children can explain the mistake made when the columns have not been ordered correctly.</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th colspan="5">Bella's working</th> <th colspan="5">Correct method</th> </tr> <tr> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> <th>TTh</th> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>7</td> <td>8</td> <td>7</td> <td>7</td> <td>1</td> <td>7</td> <td>8</td> <td>7</td> <td>7</td> </tr> <tr> <td>+</td> <td>4</td> <td>0</td> <td>1</td> <td>2</td> <td>+</td> <td>4</td> <td>0</td> <td>1</td> <td>2</td> </tr> <tr> <td colspan="5"><hr/></td> <td colspan="5"><hr/></td> </tr> <tr> <td>5</td> <td>7</td> <td>9</td> <td>9</td> <td>7</td> <td>2</td> <td>1</td> <td>8</td> <td>8</td> <td>9</td> </tr> </tbody> </table> <p>Use approximation to check calculations.</p> <p><i>I calculated 18,000 + 4,000 mentally to check my subtraction.</i></p>	Bella's working					Correct method					TTh	Th	H	T	O	TTh	Th	H	T	O	1	7	8	7	7	1	7	8	7	7	+	4	0	1	2	+	4	0	1	2	<hr/>					<hr/>					5	7	9	9	7	2	1	8	8	9																									
Bella's working					Correct method																																																																																			
TTh	Th	H	T	O	TTh	Th	H	T	O																																																																															
1	7	8	7	7	1	7	8	7	7																																																																															
+	4	0	1	2	+	4	0	1	2																																																																															
<hr/>					<hr/>																																																																																			
5	7	9	9	7	2	1	8	8	9																																																																															
<p><b>Choosing efficient methods</b></p>			<p>To subtract two large numbers that are close, children find the difference by counting on.</p> <p><math>2,002 - 1,995 = ?</math></p> <p>Use addition to check subtractions.</p> <p><i>I calculated 7,546 - 2,355 = 5,191. I will check using the inverse.</i></p>																																																																																					
<p><b>Subtracting</b></p>	<p>Explore complements to a whole number by</p>	<p>Use a place value grid to represent the</p>	<p>Use column subtraction, with an</p>																																																																																					

<p><b>decimals</b></p>	<p>working in the context of length.</p>  <p>1 m - <input type="text"/> m = <input type="text"/> m</p> <p><math>1 - 0.49 = ?</math></p>	<p>stages of column subtraction, including exchanges where required.</p> <p><math>5.74 - 2.25 = ?</math></p> <table border="1" data-bbox="943 293 1361 389"> <tr> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> </tr> <tr> <td>● ● ● ● ●</td> <td>•</td> <td>● ● ● ● ● ● ● ●</td> <td>● ● ● ● ● ● ● ●</td> </tr> </table> <p>Exchange 1 tenth for 10 hundredths.</p> <table border="1" data-bbox="943 427 1361 549"> <tr> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> </tr> <tr> <td>● ● ● ● ●</td> <td>•</td> <td>● ● ● ● ● ● ● ●</td> <td>● ● ● ● ● ● ● ●</td> </tr> </table> <p>Now subtract the 5 hundredths.</p> <table border="1" data-bbox="943 587 1361 708"> <tr> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> </tr> <tr> <td>● ● ● ● ●</td> <td>•</td> <td>● ● ● ● ● ● ● ●</td> <td>● ● ● ● ● ● ● ●</td> </tr> </table> <p>Now subtract the 2 tenths, then the 2 ones.</p> <table border="1" data-bbox="943 746 1361 868"> <tr> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> </tr> <tr> <td>● ● ● ● ●</td> <td>•</td> <td>● ● ● ● ● ● ● ●</td> <td>● ● ● ● ● ● ● ●</td> </tr> </table>	O	•	Tth	Hth	● ● ● ● ●	•	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	O	•	Tth	Hth	● ● ● ● ●	•	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	O	•	Tth	Hth	● ● ● ● ●	•	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	O	•	Tth	Hth	● ● ● ● ●	•	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●	<p>understanding of place value, including subtracting numbers with different numbers of decimal places.</p> <p><math>3.921 - 3.75 = ?</math></p> <table border="1" data-bbox="1554 320 1800 464"> <tr> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> <th>Thth</th> </tr> <tr> <td>3</td> <td>•</td> <td>9</td> <td>2</td> <td>1</td> </tr> <tr> <td>-</td> <td>•</td> <td>7</td> <td>5</td> <td>0</td> </tr> <tr> <td colspan="5"><hr/></td> </tr> <tr> <td>3</td> <td>•</td> <td>2</td> <td>7</td> <td>1</td> </tr> </table>	O	•	Tth	Hth	Thth	3	•	9	2	1	-	•	7	5	0	<hr/>					3	•	2	7	1
O	•	Tth	Hth																																																									
● ● ● ● ●	•	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●																																																									
O	•	Tth	Hth																																																									
● ● ● ● ●	•	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●																																																									
O	•	Tth	Hth																																																									
● ● ● ● ●	•	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●																																																									
O	•	Tth	Hth																																																									
● ● ● ● ●	•	● ● ● ● ● ● ● ●	● ● ● ● ● ● ● ●																																																									
O	•	Tth	Hth	Thth																																																								
3	•	9	2	1																																																								
-	•	7	5	0																																																								
<hr/>																																																												
3	•	2	7	1																																																								
<p><b>Year 5 Multiplication</b></p>																																																												
<p><b>Understanding factors</b></p>	<p>Use cubes or counters to explore the meaning of 'square numbers'.</p> <p><i>25 is a square number because it is made from 5 rows of 5.</i></p> <p>Use cubes to explore cube numbers.</p> 	<p>Use images to explore examples and non-examples of square numbers.</p>  <p><math>8 \times 8 = 64</math> <math>8^2 = 64</math></p>	<p>Understand the pattern of square numbers in the multiplication tables.</p> <p>Use a multiplication grid to circle each square number. Can children spot a pattern?</p>																																																									

	<p><i>8 is a cube number.</i></p>	 <p><i>12 is not a square number, because you cannot multiply a whole number by itself to make 12.</i></p>							
<p><b>Multiplying by 10, 100 and 1,000</b></p>	<p>Use place value equipment to multiply by 10, 100 and 1,000 by unitising.</p> <p><math>4 \times 1 = 4 \text{ ones} = 4</math></p> <p><math>4 \times 10 = 4 \text{ tens} = 40</math></p> <p><math>4 \times 100 = 4 \text{ hundreds} = 400</math></p> 	<p>Understand the effect of repeated multiplication by 10.</p> 	<p>Understand how exchange relates to the digits when multiplying by 10, 100 and 1,000.</p> <table border="1" data-bbox="1541 571 1915 703"> <tr> <td>H</td> <td>T</td> <td>O</td> </tr> <tr> <td></td> <td>1</td> <td>7</td> </tr> </table> <p><math>17 \times 10 = 170</math>  <math>17 \times 100 = 17 \times 10 \times 10 = 1,700</math>  <math>17 \times 1,000 = 17 \times 10 \times 10 \times 10 = 17,000</math></p>	H	T	O		1	7
H	T	O							
	1	7							
<p><b>Multiplying by multiples of 10, 100 and 1,000</b></p>	<p>Use place value equipment to explore multiplying by unitising.</p>  <p><i>5 groups of 3 ones is 15 ones.</i>  <i>5 groups of 3 tens is 15 tens.</i></p> <p><i>So, I know that 5 groups of 3 thousands would be 15 thousands.</i></p>	<p>Use place value equipment to represent how to multiply by multiples of 10, 100 and 1,000.</p>  <p><math>4 \times 3 = 12</math>  <math>4 \times 300 = 1,200</math></p> <p><math>6 \times 4 = 24</math>  <math>6 \times 400 = 2,400</math></p>	<p>Use known facts and unitising to multiply.</p> <p><math>5 \times 4 = 20</math>  <math>5 \times 40 = 200</math>  <math>5 \times 400 = 2,000</math>  <math>5 \times 4,000 = 20,000</math></p> <p><math>5,000 \times 4 = 20,000</math></p>						
<p><b>Multiplying up to 4-digit numbers by a</b></p>	<p>Explore how to use partitioning to multiply efficiently.</p>	<p>Represent multiplications using place value equipment and add the 1s, then 10s, then 100s, then 1,000s.</p>	<p>Use an area model and then add the parts.</p>						

<p><b>single digit</b></p>	<p><math>8 \times 17 = ?</math></p>  <p><math>8 \times 10 = 80</math>      <math>8 \times 7 = 56</math></p> <p><math>80 + 56 = 136</math></p> <p>So, <math>8 \times 17 = 136</math></p>	<table border="1" data-bbox="943 161 1391 571"> <thead> <tr> <th></th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>100</td> <td></td> <td>10 10 10 10 10</td> <td>1 1 1</td> </tr> <tr> <td>100</td> <td></td> <td>10 10 10 10 10</td> <td>1 1 1</td> </tr> <tr> <td>100</td> <td></td> <td>10 10 10 10 10</td> <td>1 1 1</td> </tr> <tr> <td>100</td> <td></td> <td>10 10 10 10 10</td> <td>1 1 1</td> </tr> <tr> <td>100</td> <td></td> <td>10 10 10 10 10</td> <td>1 1 1</td> </tr> </tbody> </table>		H	T	O	100		10 10 10 10 10	1 1 1	100		10 10 10 10 10	1 1 1	100		10 10 10 10 10	1 1 1	100		10 10 10 10 10	1 1 1	100		10 10 10 10 10	1 1 1	<table border="1" data-bbox="1556 118 2101 197"> <thead> <tr> <th></th> <th>100</th> <th>60</th> <th>3</th> </tr> </thead> <tbody> <tr> <td>5</td> <td><math>100 \times 5 = 500</math></td> <td><math>60 \times 5 = 300</math></td> <td><math>3 \times 5 = 15</math></td> </tr> </tbody> </table> <p>Use a column multiplication, including any required exchanges.</p> $\begin{array}{r} 136 \\ \times \quad 6 \\ \hline 816 \\ \underline{23} \phantom{0} \\ 816 \end{array}$		100	60	3	5	$100 \times 5 = 500$	$60 \times 5 = 300$	$3 \times 5 = 15$
	H	T	O																																
100		10 10 10 10 10	1 1 1																																
100		10 10 10 10 10	1 1 1																																
100		10 10 10 10 10	1 1 1																																
100		10 10 10 10 10	1 1 1																																
100		10 10 10 10 10	1 1 1																																
	100	60	3																																
5	$100 \times 5 = 500$	$60 \times 5 = 300$	$3 \times 5 = 15$																																
<p><b>Multiplying 2-digit numbers by 2-digit numbers</b></p>	<p>Partition one number into 10s and 1s, then add the parts.</p> <p><math>23 \times 15 = ?</math></p>  <p><math>10 \times 15 = 150</math>      <math>10 \times 15 = 150</math></p>  <p><math>3 \times 15 = 45</math></p> <p>There are 345 bottles of milk in total.</p> $\begin{array}{r} \text{H T O} \\ 150 \\ 150 \\ + 45 \\ \hline 345 \end{array}$ <p><math>23 \times 15 = 345</math></p>	<p>Use an area model and add the parts.</p> <p><math>28 \times 15 = ?</math></p> <table border="1" data-bbox="943 863 1391 1050"> <thead> <tr> <th></th> <th>20 m</th> <th>8 m</th> </tr> </thead> <tbody> <tr> <td>10 m</td> <td><math>20 \times 10 = 200 \text{ m}^2</math></td> <td><math>8 \times 10 = 80 \text{ m}^2</math></td> </tr> <tr> <td>5 m</td> <td><math>20 \times 5 = 100 \text{ m}^2</math></td> <td><math>8 \times 5 = 40 \text{ m}^2</math></td> </tr> </tbody> </table> $\begin{array}{r} \text{H T O} \\ 200 \\ 100 \\ + 40 \\ \hline 420 \end{array}$ <p><math>28 \times 15 = 420</math></p>		20 m	8 m	10 m	$20 \times 10 = 200 \text{ m}^2$	$8 \times 10 = 80 \text{ m}^2$	5 m	$20 \times 5 = 100 \text{ m}^2$	$8 \times 5 = 40 \text{ m}^2$	<p>Use column multiplication, ensuring understanding of place value at each stage.</p> $\begin{array}{r} 34 \\ \times 27 \\ \hline 238 \quad 34 \times 7 \\ \underline{\phantom{00}00} \\ 680 \quad 34 \times 20 \\ \hline 918 \quad 34 \times 27 \end{array}$																							
	20 m	8 m																																	
10 m	$20 \times 10 = 200 \text{ m}^2$	$8 \times 10 = 80 \text{ m}^2$																																	
5 m	$20 \times 5 = 100 \text{ m}^2$	$8 \times 5 = 40 \text{ m}^2$																																	
<p><b>Multiplying up</b></p>		<p>Use the area model then add the parts.</p>	<p>Use column multiplication, ensuring</p>																																

**to 4-digits by 2-digits**

	100	40	3	
10				Th H T O
				1 0 0 0
2				4 0 0
				2 0 0
				8 0
				3 0
				+ 6
				1 7 1 6

$143 \times 12 = 1,716$

There are 1,716 boxes of cereal in total.

$143 \times 12 = 1,716$

understanding of place value at each stage.

x	1 4 3	
	1 2	
	2 8 6	$143 \times 2$
	1 4 3 0	$143 \times 10$
	1 7 1 6	$143 \times 12$

Progress to include examples that require multiple exchanges as understanding, confidence and fluency build.

$1,274 \times 32 = ?$   
First multiply 1,274 by 2.

x	1 2 7 4	
	3 2	
	2 5 4 8	$1,274 \times 2$

Then multiply 1,274 by 30.

x	1 2 7 4	
	3 2	
	2 5 4 8	$1,274 \times 2$
	3 8 2 2 0	$1,274 \times 30$

Finally, find the total.

x	1 2 7 4	
	3 2	
	2 5 4 8	$1,274 \times 2$
	3 8 2 2 0	$1,274 \times 30$
	4 0 7 6 8	$1,274 \times 32$



$1,274 \times 32 = 40,768$





**Multiplying decimals by 10, 100 and**



Use place value equipment to explore and understand the exchange of 10 tenths, 10 hundredths or 10 thousandths.










Represent multiplication by 10 as exchange on a place value grid.



Understand how this exchange is represented on a place value chart.

<p><b>1,000</b></p>		 <p><math>0.14 \times 10 = 1.4</math></p>	<table border="1" data-bbox="1765 124 2101 316"> <thead> <tr> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> <th>.</th> <th>Tth</th> </tr> </thead> <tbody> <tr> <td></td> <td></td> <td></td> <td>2</td> <td>.</td> <td>5</td> </tr> <tr> <td></td> <td></td> <td>2</td> <td>5</td> <td>.</td> <td></td> </tr> <tr> <td></td> <td>2</td> <td>5</td> <td>0</td> <td>.</td> <td></td> </tr> <tr> <td>2</td> <td>5</td> <td>0</td> <td>0</td> <td>.</td> <td></td> </tr> </tbody> </table> <p> <math>2.5 \times 10 = 25</math>  <math>2.5 \times 100 = 250</math>  <math>2.5 \times 1,000 = 2,500</math> </p>	Th	H	T	O	.	Tth				2	.	5			2	5	.			2	5	0	.		2	5	0	0	.	
Th	H	T	O	.	Tth																												
			2	.	5																												
		2	5	.																													
	2	5	0	.																													
2	5	0	0	.																													
<p><b>Year 5 Division</b></p>																																	
<p><b>Understanding factors and prime numbers</b></p>	<p>Use equipment to explore the factors of a given number.</p>  <p> <math>24 \div 3 = 8</math>  <math>24 \div 8 = 3</math>              8 and 3 are factors of 24 because they divide 24 exactly.         </p> <p> <math>24 \div 5 = 4</math> remainder 4.         </p>  <p>5 is not a factor of 24 because there is a remainder.</p>	<p>Understand that prime numbers are numbers with exactly two factors.</p> <p> <math>13 \div 1 = 13</math>  <math>13 \div 2 = 6 \text{ r } 1</math>  <math>13 \div 4 = 4 \text{ r } 1</math> </p> <p>1 and 13 are the only factors of 13. 13 is a prime number.</p>	<p>Understand how to recognise prime and composite numbers.</p> <p><i>I know that 31 is a prime number because it can be divided by only 1 and itself without leaving a remainder.</i></p> <p><i>I know that 33 is not a prime number as it can be divided by 1, 3, 11 and 33.</i></p> <p><i>I know that 1 is not a prime number, as it has only 1 factor.</i></p>																														
<p><b>Understanding inverse operations and the link with multiplication, grouping and sharing</b></p>	<p>Use equipment to group and share and to explore the calculations that are present.</p> <p><i>I have 28 counters.</i></p> <p><i>I made 7 groups of 4. There are 28 in total.</i></p> <p><i>I have 28 in total. I shared them equally into 7 groups. There are 4 in each group.</i></p>	<p>Represent multiplicative relationships and explore the families of division facts.</p>  <p> <math>60 \div 4 = 15</math>  <math>60 \div 15 = 4</math> </p>	<p>Represent the different multiplicative relationships to solve problems requiring inverse operations.</p> <p> <math>12 \div 3 = \square</math>  <math>12 \div \square = 3</math>  <math>\square \times 3 = 12</math>  <math>\square \div 3 = 12</math> </p>  <p>Understand missing number problems for</p>																														

	<p><i>I have 28 in total. I made groups of 4. There are 7 equal groups.</i></p>		<p>division calculations and know how to solve them using inverse operations.  <math>22 \div ? = 2</math>  <math>22 \div 2 = ?</math>  <math>? \div 2 = 22</math>  <math>? \div 22 = 2</math></p>								
<p><b>Dividing whole numbers by 10, 100 and 1,000</b></p>	<p>Use place value equipment to support unitising for division.</p> <p><math>4,000 \div 1,000</math></p>  <p><math>4,000</math> is 4 thousands.</p> <p><math>4 \times 1,000 = 4,000</math></p> <p>So, <math>4,000 \div 1,000 = 4</math></p>	<p>Use a bar model to support dividing by unitising.</p> <p><math>380 \div 10 = 38</math></p>  <p><math>380</math> is 38 tens.</p> <p><math>38 \times 10 = 380</math></p> <p><math>10 \times 38 = 380</math></p> <p>So, <math>380 \div 10 = 38</math></p>	<p>Understand how and why the digits change on a place value grid when dividing by 10, 100 or 1,000.</p> <table border="1" data-bbox="1541 478 1966 566"> <thead> <tr> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>2</td> <td>0</td> <td>0</td> </tr> </tbody> </table> <p><math>3,200 \div 100 = ?</math></p> <p><math>3,200</math> is 3 thousands and 2 hundreds.</p> <p><math>200 \div 100 = 2</math></p> <p><math>3,000 \div 100 = 30</math></p> <p><math>3,200 \div 100 = 32</math></p> <p>So, the digits will move two places to the right.</p>	Th	H	T	O	3	2	0	0
Th	H	T	O								
3	2	0	0								
<p><b>Dividing by multiples of 10, 100 and 1,000</b></p>	<p>Use place value equipment to represent known facts and unitising.</p>  <p><math>15</math> ones put into groups of 3 ones. There are 5 groups.</p> <p><math>15 \div 3 = 5</math></p> <p><math>15</math> tens put into groups of 3 tens. There are 5 groups.</p> <p><math>150 \div 30 = 5</math></p>	<p>Represent related facts with place value equipment when dividing by unitising.</p>  <p><math>180</math> is 18 tens.</p> <p><math>18</math> tens divided into groups of 3 tens. There are 6 groups.</p> <p><math>180 \div 30 = 6</math></p>	<p>Reason from known facts, based on understanding of unitising. Use knowledge of the inverse relationship to check.</p> <p><math>3,000 \div 5 = 600</math></p> <p><math>3,000 \div 50 = 60</math></p> <p><math>3,000 \div 500 = 6</math></p> <p><math>5 \times 600 = 3,000</math></p> <p><math>50 \times 60 = 3,000</math></p> <p><math>500 \times 6 = 3,000</math></p>								


		 <p>12 ones divided into groups of 4. There are 3 groups.</p> <p>12 hundreds divided into groups of 4 hundreds. There are 3 groups.</p> <p><math>1200 \div 400 = 3</math></p>	
<p><b>Dividing up to four digits by a single digit using short division</b></p>	<p>Explore grouping using place value equipment.</p> <p><math>268 \div 2 = ?</math></p> <p><i>There is 1 group of 2 hundreds. There are 3 groups of 2 tens. There are 4 groups of 2 ones.</i></p> <p><math>264 \div 2 = 134</math></p>	<p>Use place value equipment on a place value grid alongside short division. The model uses grouping. A sharing model can also be used, although the model would need adapting.</p>  <p>Lay out the problem as a short division.</p> <p><i>There is 1 group of 4 in 4 tens. There are 2 groups of 4 in 8 ones.</i></p> <p>Work with divisions that require exchange.</p>	<p>Use short division for up to 4-digit numbers divided by a single digit.</p> $7 \overline{) 3894}$ <p><math>3,892 \div 7 = 556</math></p> <p>Use multiplication to check.</p> <p><math>556 \times 7 = ?</math></p> <p><math>6 \times 7 = 42</math>  <math>50 \times 7 = 350</math>  <math>500 \times 7 = 3500</math></p> <p><math>3,500 + 350 + 42 = 3,892</math></p>

		<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 10px;"> <math>4 \overline{) 92}</math>  <p>First, lay out the problem.</p> </div> <div style="margin-bottom: 10px;"> <math>4 \overline{) 9} 2</math>  <p>How many groups of 4 go into 9 tens? 2 groups of 4 tens with 1 ten left over.</p> </div> <div style="margin-bottom: 10px;"> <math>4 \overline{) 2} 2</math>  <p>Exchange the 1 ten left over for 10 ones. We now have 12 ones.</p> </div> <div> <math>4 \overline{) 23} 2</math>  <p>How many groups of 4 go into 12 ones? 3 groups of 4 ones.</p> </div> </div>	
<p><b>Understanding remainders</b></p> <p>Understand remainders using concrete versions of a problem.</p> <p><i>80 cakes divided into trays of 6.</i></p>  <p><i>80 cakes in total. They make 13 groups of 6, with 2 remaining.</i></p>	<p>Use short division and understand remainders as the last remaining 1s.</p> <div style="display: flex; flex-direction: column; align-items: flex-start;"> <div style="margin-bottom: 10px;"> <math>6 \overline{) 80}</math>  <p>Lay out the problem as short division.</p> </div> <div style="margin-bottom: 10px;"> <math>6 \overline{) 1} 8^0</math>  <p>How many groups of 6 go into 8 tens? There is 1 group of 6 tens. There are 2 tens remaining.</p> </div> <div> <math>6 \overline{) 13} r 2</math>  <p>How many groups of 6 go into 20 ones? There are 3 groups of 6 ones. There are 2 ones remaining.</p> </div> </div>	<p>In problem solving contexts, represent divisions including remainders with a bar model.</p>  <p><math>683 = 136 \times 5 + 3</math> <math>683 \div 5 = 136 r 3</math></p>	
<p><b>Dividing decimals by 10, 100 and 1,000</b></p>	<p>Understand division by 10 using exchange.</p> <p><i>2 ones are 20 tenths.</i></p> <p><i>20 tenths divided by 10 is 2 tenths.</i></p>	<p>Represent division using exchange on a place value grid.</p>	<p>Understand the movement of digits on a place value grid.</p> 



		 <p>1.5 is 1 one and 5 tenths. This is equivalent to 10 tenths and 50 hundredths. 10 tenths divided by 10 is 1 tenth. 50 hundredths divided by 10 is 5 hundredths. 1.5 divided by 10 is 1 tenth and 5 hundredths. <math>1.5 \div 10 = 0.15</math></p>	<p><math>0.85 \div 10 = 0.085</math></p>  <p><math>8.5 \div 100 = 0.085</math></p>
<p><b>Understanding the relationship between fractions and division</b></p>	<p>Use sharing to explore the link between fractions and division.</p> <p><i>1 whole shared between 3 people. Each person receives one-third.</i></p>  	<p>Use a bar model and other fraction representations to show the link between fractions and division.</p>  <p><math>1 \div 3 = \frac{1}{3}</math></p>	<p>Use the link between division and fractions to calculate divisions.</p> <p><math>5 \div 4 = \frac{5}{4} = 1\frac{1}{4}</math></p> <p><math>11 \div 4 = \frac{11}{4} = 2\frac{3}{4}</math></p>
<p><b>Year 6</b></p>			
	<p><b>Concrete</b></p>	<p><b>Pictorial</b></p>	<p><b>Abstract</b></p>
<p><b>Year 6 Addition</b></p>			

**Comparing and selecting efficient methods**


Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods.



Discuss similarities and differences between methods, and choose efficient methods based on the specific calculation. Compare written and mental methods alongside place value representations.




Use bar model and number line representations to model addition in problem-solving and measure contexts.



Use column addition where mental methods are not efficient. Recognise common errors with column addition.


$32,145 + 4,302 = ?$



*Which method has been completed accurately?*

*What mistake has been made?*

Column methods are also used for decimal additions where mental methods are not efficient.



**Selecting mental methods for larger numbers where appropriate**

Represent 7-digit numbers on a place value grid, and use this to support thinking and mental methods.




$2,411,301 + 500,000 = ?$

*This would be 5 more counters in the HTh place.*

Use a bar model to support thinking in addition problems.

$257,000 + 99,000 = ?$



*I added 100 thousands then subtracted 1 thousand.*





Use place value and unitising to support mental calculations with larger numbers.






$195,000 + 6,000 = ?$




$195 + 5 + 1 = 201$

*195 thousands + 6 thousands = 201 thousands*


*So,  $195,000 + 6,000 = 201,000$*

	<p>So, the total is 2,911,301.</p> $2,411,301 + 500,000 = 2,911,301$	<p><math>257 \text{ thousands} + 100 \text{ thousands} = 357 \text{ thousands}</math></p> $257,000 + 100,000 = 357,000$ $357,000 - 1,000 = 356,000$ <p>So, <math>257,000 + 99,000 = 356,000</math></p>																																									
<p><b>Understanding order of operations in calculations</b></p>	<p>Use equipment to model different interpretations of a calculation with more than one operation. Explore different results.</p> <p><math>3 \times 5 - 2 = ?</math></p>  <div style="display: flex; justify-content: space-around;"> <div style="text-align: center;"> <math display="block">\begin{array}{r} 3 \times 5 - 2 \\ \downarrow \quad \downarrow \\ 3 \times 3 = 9 \end{array}</math> </div> <div style="text-align: center;"> <math display="block">\begin{array}{r} 3 \times 5 - 2 \\ \downarrow \quad \downarrow \\ 15 - 2 = 13 \end{array}</math> </div> </div>	<p>Model calculations using a bar model to demonstrate the correct order of operations in multi-step calculations.</p>  <p>This can be written as: <math>16 \times 4 + 16 \times 6</math>  <math>64 + 96 = 160</math></p>	<p>Understand the correct order of operations in calculations without brackets.</p> <p>Understand how brackets affect the order of operations in a calculation.</p> $4 + 6 \times 16$ $4 + 96 = 100$ $(4 + 6) \times 16$ $10 \times 16 = 160$																																								
<p><b>Year 6 Subtraction</b></p>																																											
<p><b>Comparing and selecting efficient methods</b></p>	<p>Use counters on a place value grid to represent subtractions of larger numbers.</p> <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●●</td> <td>●●●●●●</td> <td>●●●●●●</td> <td>●●●●●●</td> </tr> <tr> <td></td> <td>●●●●●●</td> <td>●●●●●●</td> <td>●●●●●●</td> </tr> </tbody> </table>	Th	H	T	O	●●	●●●●●●	●●●●●●	●●●●●●		●●●●●●	●●●●●●	●●●●●●	<p>Compare subtraction methods alongside place value representations.</p>  <table border="1" style="width: 100%; text-align: center;"> <thead> <tr> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>●●</td> <td>●●●●●●</td> <td>●●●●●●</td> <td>●●●●●●</td> </tr> <tr> <td></td> <td>●●●●●●</td> <td>●●●●●●</td> <td>●●●●●●</td> </tr> </tbody> </table> $\begin{array}{r} \text{Th H T O} \\ 2 \ 6 \ 7 \ 9 \\ - \ 5 \ 3 \ 4 \\ \hline 2 \ 1 \ 4 \ 5 \end{array}$	Th	H	T	O	●●	●●●●●●	●●●●●●	●●●●●●		●●●●●●	●●●●●●	●●●●●●	<p>Compare and select methods. Use column subtraction when mental methods are not efficient. Use two different methods for one calculation as a checking strategy.</p> <table style="display: inline-table; vertical-align: middle;"> <thead> <tr> <th>Th</th> <th>H</th> <th>T</th> <th>O</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>8</td> <td>14</td> <td>2</td> </tr> <tr> <td>-</td> <td>1</td> <td>5</td> <td>5</td> </tr> <tr> <td></td> <td>3</td> <td>9</td> <td>4</td> </tr> </tbody> </table>  <p>Use column subtraction for decimal problems, including in the context of</p>	Th	H	T	O	1	8	14	2	-	1	5	5		3	9	4
Th	H	T	O																																								
●●	●●●●●●	●●●●●●	●●●●●●																																								
	●●●●●●	●●●●●●	●●●●●●																																								
Th	H	T	O																																								
●●	●●●●●●	●●●●●●	●●●●●●																																								
	●●●●●●	●●●●●●	●●●●●●																																								
Th	H	T	O																																								
1	8	14	2																																								
-	1	5	5																																								
	3	9	4																																								


		<p>Use a bar model to represent calculations, including 'find the difference' with two bars as comparison.</p> 	<p>measure.</p> <table border="1" data-bbox="1547 185 1783 312"> <tr><td>H</td><td>T</td><td>O</td><td>·</td><td>Tth</td><td>Hth</td></tr> <tr><td>3</td><td>0</td><td>9</td><td>·</td><td>6</td><td>0</td></tr> <tr><td>-</td><td>2</td><td>0</td><td>·</td><td>4</td><td>0</td></tr> <tr><td colspan="6"><hr/></td></tr> <tr><td>1</td><td>0</td><td>3</td><td>·</td><td>2</td><td>0</td></tr> </table>	H	T	O	·	Tth	Hth	3	0	9	·	6	0	-	2	0	·	4	0	<hr/>						1	0	3	·	2	0				
H	T	O	·	Tth	Hth																																
3	0	9	·	6	0																																
-	2	0	·	4	0																																
<hr/>																																					
1	0	3	·	2	0																																
<p><b>Subtracting mentally with larger numbers</b></p>		<p>Use a bar model to show how unitising can support mental calculations.</p> <p><math>950,000 - 150,000</math> That is 950 thousands - 150 thousands</p>  <p>So, the difference is 800 thousands. <math>950,000 - 150,000 = 800,000</math></p>	<p>Subtract efficiently from powers of 10.</p> <p><math>10,000 - 500 = ?</math></p>																																		
<p><b>Year 6 Multiplication</b></p>																																					
<p><b>Multiplying up to a 4-digit number by a single digit number</b></p>	<p>Use equipment to explore multiplications.</p>  <p>4 groups of 2,345</p> <p>This is a multiplication:</p> <p><math>4 \times 2,345</math> <math>2,345 \times 4</math></p>	<p>Use place value equipment to compare methods.</p> <p><b>Method 1</b></p>  <p><b>Method 2</b></p>  <p><math>4 \times 3,000 + 4 \times 200 + 4 \times 20 + 4 \times 5</math> <math>12,000 + 800 + 80 + 20 = 12,900</math></p>	<p>Understand area model and short multiplication.</p> <p>Compare and select appropriate methods for specific multiplications.</p> <p><b>Method 3</b></p> <table border="1" data-bbox="1547 1174 1783 1230"> <tr><td>3,000</td><td>200</td><td>20</td><td>5</td></tr> <tr><td>4</td><td>12,000</td><td>800</td><td>80</td><td>20</td></tr> </table> <p><math>12,000 + 800 + 80 + 20 = 12,900</math></p> <p><b>Method 4</b></p> <table border="1" data-bbox="1547 1350 1693 1445"> <tr><td>3</td><td>2</td><td>2</td><td>5</td></tr> <tr><td>×</td><td></td><td></td><td>4</td></tr> <tr><td colspan="4"><hr/></td></tr> <tr><td>1</td><td>2</td><td>9</td><td>0</td><td>0</td></tr> <tr><td colspan="4"><hr/></td></tr> <tr><td></td><td>1</td><td>2</td><td></td></tr> </table>	3,000	200	20	5	4	12,000	800	80	20	3	2	2	5	×			4	<hr/>				1	2	9	0	0	<hr/>					1	2	
3,000	200	20	5																																		
4	12,000	800	80	20																																	
3	2	2	5																																		
×			4																																		
<hr/>																																					
1	2	9	0	0																																	
<hr/>																																					
	1	2																																			

<p><b>Multiplying up to a 4-digit number by a 2-digit number</b></p>		<p>Use an area model alongside written multiplication.</p> <p><b>Method 1</b></p> <table border="1" style="margin-left: 20px;"> <tr> <td></td> <td>1,000</td> <td>200</td> <td>30</td> <td>5</td> </tr> <tr> <td>20</td> <td>20,000</td> <td>4,000</td> <td>600</td> <td>100</td> </tr> <tr> <td>1</td> <td>1,000</td> <td>200</td> <td>30</td> <td>5</td> </tr> </table> <table style="margin-left: 20px;"> <tr> <td>1</td><td>2</td><td>3</td><td>5</td></tr> <tr> <td>×</td><td></td><td>2</td><td>1</td></tr> <tr> <td colspan="4"><hr/></td> </tr> <tr> <td></td><td></td><td>5</td><td>1 × 5</td> </tr> <tr> <td></td><td>3</td><td>0</td><td>1 × 30</td> </tr> <tr> <td></td><td>2</td><td>0</td><td>0</td><td>1 × 200</td> </tr> <tr> <td>1</td><td>0</td><td>0</td><td>0</td><td>1 × 1,000</td> </tr> <tr> <td></td><td>1</td><td>0</td><td>0</td><td>20 × 5</td> </tr> <tr> <td></td><td>6</td><td>0</td><td>0</td><td>20 × 30</td> </tr> <tr> <td></td><td>4</td><td>0</td><td>0</td><td>20 × 200</td> </tr> <tr> <td>2</td><td>0</td><td>0</td><td>0</td><td>20 × 1,000</td> </tr> <tr> <td colspan="4"><hr/></td> </tr> <tr> <td>2</td><td>5</td><td>9</td><td>3</td><td>5</td> </tr> </table> <p>21 × 1,235</p>		1,000	200	30	5	20	20,000	4,000	600	100	1	1,000	200	30	5	1	2	3	5	×		2	1	<hr/>						5	1 × 5		3	0	1 × 30		2	0	0	1 × 200	1	0	0	0	1 × 1,000		1	0	0	20 × 5		6	0	0	20 × 30		4	0	0	20 × 200	2	0	0	0	20 × 1,000	<hr/>				2	5	9	3	5	<p>Use compact column multiplication with understanding of place value at all stages.</p> <table style="margin-left: 20px;"> <tr> <td></td><td>1</td><td>2</td><td>3</td><td>5</td></tr> <tr> <td>×</td><td></td><td></td><td>2</td><td>1</td></tr> <tr> <td colspan="5"><hr/></td> </tr> <tr> <td></td><td></td><td>1</td><td>2</td><td>3</td><td>5</td><td>1 × 1,235</td> </tr> <tr> <td></td><td>2</td><td>4</td><td>7</td><td>0</td><td>0</td><td>20 × 1,235</td> </tr> <tr> <td colspan="5"><hr/></td> </tr> <tr> <td>2</td><td>5</td><td>9</td><td>3</td><td>5</td><td>21 × 1,235</td> </tr> </table>		1	2	3	5	×			2	1	<hr/>							1	2	3	5	1 × 1,235		2	4	7	0	0	20 × 1,235	<hr/>					2	5	9	3	5	21 × 1,235
	1,000	200	30	5																																																																																																																	
20	20,000	4,000	600	100																																																																																																																	
1	1,000	200	30	5																																																																																																																	
1	2	3	5																																																																																																																		
×		2	1																																																																																																																		
<hr/>																																																																																																																					
		5	1 × 5																																																																																																																		
	3	0	1 × 30																																																																																																																		
	2	0	0	1 × 200																																																																																																																	
1	0	0	0	1 × 1,000																																																																																																																	
	1	0	0	20 × 5																																																																																																																	
	6	0	0	20 × 30																																																																																																																	
	4	0	0	20 × 200																																																																																																																	
2	0	0	0	20 × 1,000																																																																																																																	
<hr/>																																																																																																																					
2	5	9	3	5																																																																																																																	
	1	2	3	5																																																																																																																	
×			2	1																																																																																																																	
<hr/>																																																																																																																					
		1	2	3	5	1 × 1,235																																																																																																															
	2	4	7	0	0	20 × 1,235																																																																																																															
<hr/>																																																																																																																					
2	5	9	3	5	21 × 1,235																																																																																																																
<p><b>Using knowledge of factors and partitions to compare methods for multiplications</b></p>	<p>Use equipment to understand square numbers and cube numbers.</p> <div style="text-align: center;">  </div> <p><math>5 \times 5 = 5^2 = 25</math>  <math>5 \times 5 \times 5 = 5^3 = 25 \times 5 = 125</math></p>	<p>Compare methods visually using an area model. Understand that multiple approaches will produce the same answer if completed accurately.</p> <div style="text-align: center;">  </div> <p>Represent and compare methods using a bar model.</p>	<p>Use a known fact to generate families of related facts.</p> <div style="text-align: center;">  </div> <p>Use factors to calculate efficiently.</p> $15 \times 16 = 3 \times 5 \times 2 \times 8 = 3 \times 8 \times 2 \times 5 = 24 \times 10 = 240$																																																																																																																		
<p><b>Multiplying by 10, 100 and</b></p>	<p>Use place value equipment to explore exchange in decimal multiplication.</p>	<p>Understand how the exchange affects decimal numbers on a place value grid.</p>	<p>Use knowledge of multiplying by 10, 100 and 1,000 to multiply by multiples of 10, 100</p>																																																																																																																		

**1,000**



$0.3 \times 10 = ?$   
 $0.3$  is 3 tenths.  
 10  $\times$  3 tenths are 30 tenths.  
 30 tenths are equivalent to 3 ones.



and 1,000.

$$8 \times 100 = 800$$

$$8 \times 300 = 800 \times 3$$

$$= 2,400$$


$$2.5 \times 10 = 25$$

$$2.5 \times 20 = 2.5 \times 10 \times 2$$


$$= 50$$

**Multiplying decimals**

Explore decimal multiplications using place value equipment and in the context of measures.



3 groups of 4 tenths is 12 tenths.  
 4 groups of 3 tenths is 12 tenths.



$$4 \times 1 \text{ cm} = 4 \text{ cm}$$


$$4 \times 0.3 \text{ cm} = 1.2 \text{ cm}$$

$$4 \times 1.3 = 4 + 1.2 = 5.2 \text{ cm}$$


Represent calculations on a place value grid.

$$3 \times 3 = 9$$

$$3 \times 0.3 = 0.9$$



Understand the link between multiplying decimals and repeated addition.



Use known facts to multiply decimals.

$$4 \times 3 = 12$$

$$4 \times 0.3 = 1.2$$

$$4 \times 0.03 = 0.12$$

$$20 \times 5 = 100$$

$$20 \times 0.5 = 10$$

$$20 \times 0.05 = 1$$

Find families of facts from a known multiplication.

*I know that  $18 \times 4 = 72$ .*

*This can help me work out:*







$$1.8 \times 4 = ?$$

$$18 \times 0.4 = ?$$




$$180 \times 0.4 = ?$$


$$18 \times 0.04 = ?$$

Use a place value grid to understand the effects of multiplying decimals.

			<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th></th> <th>H</th> <th>T</th> <th>O</th> <th>•</th> <th>Tth</th> <th>Hth</th> </tr> </thead> <tbody> <tr> <td><math>2 \times 3</math></td> <td></td> <td></td> <td>6</td> <td>•</td> <td></td> <td></td> </tr> <tr> <td><math>0.2 \times 3</math></td> <td></td> <td></td> <td>0</td> <td>•</td> <td>6</td> <td></td> </tr> <tr> <td><math>0.02 \times 3</math></td> <td></td> <td></td> <td></td> <td>•</td> <td></td> <td></td> </tr> </tbody> </table>		H	T	O	•	Tth	Hth	$2 \times 3$			6	•			$0.2 \times 3$			0	•	6		$0.02 \times 3$				•																								
	H	T	O	•	Tth	Hth																																															
$2 \times 3$			6	•																																																	
$0.2 \times 3$			0	•	6																																																
$0.02 \times 3$				•																																																	
<p><b>Year 6 Division</b></p>																																																					
<p><b>Understanding factors</b></p>	<p>Use equipment to explore different factors of a number.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p><math>24 \div 4 = 6</math></p> </div> <div style="text-align: center;">  <p><math>30 \div 4 = 7 \text{ remainder } 2</math></p> </div> </div> <p><i>4 is a factor of 24 but is not a factor of 30.</i></p>	<p>Recognise prime numbers as numbers having exactly two factors. Understand the link with division and remainders.</p> <div style="display: flex; justify-content: space-around; align-items: center;"> <div style="text-align: center;">  <p><math>17 \div 2 = 8 \text{ r } 1</math></p> </div> <div style="text-align: center;">  <p><math>17 \div 3 = 5 \text{ r } 2</math></p> </div> <div style="text-align: center;">  <p><math>17 \div 4 = 4 \text{ r } 1</math></p> </div> <div style="text-align: center;">  <p><math>17 \div 5 = 3 \text{ r } 2</math></p> </div> </div>	<p>Recognise and know primes up to 100. Understand that 2 is the only even prime, and that 1 is not a prime number.</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <tr><td>1</td><td>2</td><td>3</td><td>4</td><td>5</td><td>6</td><td>7</td><td>8</td><td>9</td><td>10</td></tr> <tr><td>11</td><td>12</td><td>13</td><td>14</td><td>15</td><td>16</td><td>17</td><td>18</td><td>19</td><td>20</td></tr> <tr><td>21</td><td>22</td><td>23</td><td>24</td><td>25</td><td>26</td><td>27</td><td>28</td><td>29</td><td>30</td></tr> <tr><td>31</td><td>32</td><td>33</td><td>34</td><td>35</td><td>36</td><td>37</td><td>38</td><td>39</td><td>40</td></tr> <tr><td>41</td><td>42</td><td>43</td><td>44</td><td>45</td><td>46</td><td>47</td><td>48</td><td>49</td><td>50</td></tr> </table>	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50
1	2	3	4	5	6	7	8	9	10																																												
11	12	13	14	15	16	17	18	19	20																																												
21	22	23	24	25	26	27	28	29	30																																												
31	32	33	34	35	36	37	38	39	40																																												
41	42	43	44	45	46	47	48	49	50																																												
<p><b>Dividing by a single digit</b></p>	<p>Use equipment to make groups from a total.</p> <div style="text-align: center;">  </div> <p><i>There are 78 in total. There are 6 groups of 13. There are 13 groups of 6.</i></p>	<table border="1" style="width: 100%; text-align: center;"> <tr> <td>H</td> <td>T</td> <td>O</td> <td></td> </tr> <tr> <td>●</td> <td>●●●</td> <td>●●</td> <td>How many groups of 6 are in 100?</td> </tr> </table> $6 \overline{) 100} \begin{matrix} 0 \\ 16 \\ 2 \end{matrix}$ <table border="1" style="width: 100%; text-align: center;"> <tr> <td>H</td> <td>T</td> <td>O</td> <td></td> </tr> <tr> <td>●</td> <td>●●●●●●</td> <td>●●</td> <td>How many groups of 6 are in 13 tens?</td> </tr> </table> $6 \overline{) 130} \begin{matrix} 0 \\ 21 \\ 2 \end{matrix}$ <table border="1" style="width: 100%; text-align: center;"> <tr> <td>H</td> <td>T</td> <td>O</td> <td></td> </tr> <tr> <td></td> <td>●●●●●●</td> <td>●●●●●●</td> <td>How many groups of 6 are in 12 ones?</td> </tr> </table> $6 \overline{) 12} \begin{matrix} 0 \\ 2 \\ 2 \end{matrix}$	H	T	O		●	●●●	●●	How many groups of 6 are in 100?	H	T	O		●	●●●●●●	●●	How many groups of 6 are in 13 tens?	H	T	O			●●●●●●	●●●●●●	How many groups of 6 are in 12 ones?	<p>Use short division to divide by a single digit.</p> $6 \overline{) 100} \begin{matrix} 0 \\ 16 \\ 2 \end{matrix}$ $6 \overline{) 130} \begin{matrix} 0 \\ 21 \\ 2 \end{matrix}$ $6 \overline{) 12} \begin{matrix} 0 \\ 2 \\ 2 \end{matrix}$ <p>Use an area model to link multiplication and division.</p>																										
H	T	O																																																			
●	●●●	●●	How many groups of 6 are in 100?																																																		
H	T	O																																																			
●	●●●●●●	●●	How many groups of 6 are in 13 tens?																																																		
H	T	O																																																			
	●●●●●●	●●●●●●	How many groups of 6 are in 12 ones?																																																		



			<p><math>377 \div 13 = 29</math></p> <p>A slightly different layout may be used, with the division completed above rather than at the side.</p> $\begin{array}{r} 3 \\ 21 \overline{) 798} \\ - 630 \\ \hline 168 \end{array}$ $\begin{array}{r} 38 \\ 21 \overline{) 798} \\ - 630 \\ \hline 168 \\ - 168 \\ \hline 0 \end{array}$ <p>Divisions with a remainder explored in problem-solving contexts.</p>
<p><b>Dividing by 10, 100 and 1,000</b></p>	<p>Use place value equipment to explore division as exchange.</p>  <p>Exchange each 0.1 for ten 0.01s. Divide 20 counters by 10.</p> <p><i>0.2 is 2 tenths. 2 tenths is equivalent to 20 hundredths. 20 hundredths divided by 10 is 2 hundredths.</i></p>	<p>Represent division to show the relationship with multiplication. Understand the effect of dividing by 10, 100 and 1,000 on the digits on a place value grid.</p>  <p>Understand how to divide using division by 10, 100 and 1,000.</p> <p><math>12 \div 20 = ?</math></p>  <p><math>12 \div 10 = 1.2</math>      <math>1.2 \div 2 = 0.6</math></p>	<p>Use knowledge of factors to divide by multiples of 10, 100 and 1,000.</p> <div style="border: 1px solid black; padding: 5px; display: inline-block;"> <math>40 \div 50 = \square</math> </div> <p><math>40 \rightarrow \div 10 \rightarrow \div 5 \rightarrow ?</math></p> <p><math>40 \rightarrow \div 5 \rightarrow \div 10 \rightarrow ?</math></p> <p><math>40 \div 5 = 8</math> <math>8 \div 10 = 0.8</math></p> <p>So, <math>40 \div 50 = 0.8</math></p>
<p><b>Dividing decimals</b></p>	<p>Use place value equipment to explore division of decimals.</p>	<p>Use a bar model to represent divisions.</p>	<p>Use short division to divide decimals with up to 2 decimal places.</p>



8 tenths divided into 4 groups. 2 tenths in each group.

0.8			
?	?	?	?

$4 \times 2 = 8$

$8 \div 4 = 2$

So,  $4 \times 0.2 = 0.8$

$0.8 \div 4 = 0.2$

$$\begin{array}{r} . \\ 8 \overline{) 4 \cdot 2 \ 4} \end{array}$$

$$\begin{array}{r} 0 \cdot \\ 8 \overline{) 4 \cdot 2 \ 4} \end{array}$$

$$\begin{array}{r} 0 \cdot 5 \\ 8 \overline{) 4 \cdot 2 \ 4} \end{array}$$

$$\begin{array}{r} 0 \cdot 5 \ 3 \\ 8 \overline{) 4 \cdot 2 \ 4} \end{array}$$